

DOMESTIC COPPER FITTINGS

WROT

CAST

DWV

ACR

THE BEST FITTINGS IN THE JOINT.™

 **EVERFLOW**



EVERFLOW® *Streamline*®



MADE IN USA **COPPER FITTINGS** BY **MUELLER INDUSTRIES**

Mueller Industries introduced the world's first solder-type copper fittings under the Streamline brand in 1930, the plumbing industry changed forever. The revolutionary Streamline copper solder-jointed fittings are strong, precise and reliable, which helped establish all-copper plumbing systems as the industry standard. Manufactured in the U.S.A. in our many modern, state-of-the-art facilities, Streamline copper fittings are known and respected throughout the world for consistency, precision fit and unflinching performance.



COPPER FITTINGS



CONTENTS

Copper Solder - Joint Pressure Fittings

WROT
CAST

Pages 4-5: Pressure Adapters

Pages 6-8: Pressure Couplings

Pages 9-12: Pressure Elbows

Page 13: Pressure Flanges

Pages 14-17: Pressure Tees

Copper Solder - Joint DWV Fittings

DWV

Pages 18-19: DWV Adapters

Page 20: DWV Bushings and Couplings

Page 21: DWV Elbows

Page 22: DWV Tees

Pages 23-24: DWV P-Traps

CONTENTS

Copper Solder - Joint ACR Fittings

ACR

Pages 25-26: ACR Adapters

Pages 27-28: ACR Bushings and Couplings

Pages 29-30: ACR Elbows

Page 31: ACR P-Traps

Pages 32-34: ACR Tees

► **WROT-CAST PRESSURE** | SOLDER JOINT



Streamline® Copper Solder-Joint Fittings has been the leading brand of copper fittings for over 80 years. Available in both Wrot Copper and Cast Bronze, our selection is simply the most extensive in the industry. We are the acknowledged experts for both engineering and the manufacturing precision of solder-joint copper fittings. The Quality, consistency and reliability of our copper fittings has made Streamline® the leading, trusted and most recognized Brand around the world for use in supply/pressurized systems.



** Applies to Wrot Fittings only

- For use in above-ground potable water supply systems
- Constructed of high-grade copper or bronze materials
- Made to applicable ASME standards B16.15, B16.18, B16.22, B16.24, B16.50, B1.20.1
- Wrot fittings meet NSF 61G

Adapter • Female

C x FPT

- Wrot Style #: WC-402
- Cast Style #: C-102*



Applies to Wrot Fittings only



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01207	1/8"	0.0355	100	1500
W 01215	1/4"	0.0446	50	750
W 01225	3/8"	0.0676	50	750
WB01231	1/2"	0.0983	50	500
WB01246	3/4"	0.1389	25	250
WB01263	1"	0.2535	10	100
W 01271	1-1/4"	0.4548	10	100
W 01279	1-1/2"	0.5329	10	100
W 01287	2"	0.565	1	50
W 01296	2-1/2"	1.224	1	25
W 01297	3"	1.833	1	15
A 01926*	4"	3.82	1	10
A 02007*	5"	9	1	5
W 01204	1/8" x 1/2"	0.1012	100	300
W 01205	1/8" x 3/8"	0.0525	100	700
W 01206	1/8" x 1/4"	0.0432	100	900
W 01214	1/4" x 3/8"	0.0626	50	1000
W 01216	1/4" x 1/8"	0.0313	100	1500
W 01223	3/8" x 3/4"	0.158	50	300

(CONTINUED NEXT COLUMN)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01224	3/8" x 1/2"	0.0959	50	500
W 01226	3/8" x 1/4"	0.0557	50	750
WB01230	1/2" x 3/4"	0.1594	25	250
W 01232	1/2" x 3/8"	0.0708	50	500
W 01233	1/2" x 1/4"	0.0585	50	500
W 01238	5/8" x 3/4"	0.1538	50	500
W 01239	5/8" x 1/2"	0.0892	50	500
W01245	3/4" x 1"	0.275	25	250
W01247	3/4" x 1/2"	0.109	25	250
A 04122*	3/4" x 3/8"	0.17	50	200
W 01261	1" x 1-1/4"	0.28	10	100
W 01264	1" x 3/4"	0.216	25	250
W 01265	1" x 1/2"	0.2474	20	200
W 01270	1-1/4" x 1-1/2"	0.5026	10	100
W 01272	1-1/4" x 1"	0.3297	10	100
W 01278	1-1/2" x 2"	0.7374	1	60
W 01280	1-1/2" x 1-1/4"	0.3944	10	100
W 01288	2" x 1-1/2"	0.738	5	50

* Cast Bronze

▶ WROT-CAST PRESSURE | SOLDER JOINT

Adapter • Fitting

FTGx FPT

- Wrot Style #: WC-405
- Cast Style #: C-105*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01525	3/8"	0.0546	50	750
W 01531	1/2"	0.114	50	450
W 01546	3/4"	0.1721	25	250
W 01563	1"	0.2444	25	250
W 01571	1-1/4"	0.4022	10	100
W 01579	1-1/2"	0.4582	10	100
W 01587	2"	0.6535	1	50
W 01596	2-1/2"	1.2023	1	25
A 01779*	3"	2.33	1	20
W 01514	1/4" x 3/8"	0.058	50	750
W 01524	3/8" x 1/2"	0.0965	50	350
W 01526	3/8" x 1/4"	0.0586	50	750
W 01532	1/2" x 3/8"	0.0688	50	750
A 01480*	1/2" x 1/4"	0.105	50	500
W 01547	3/4" x 1/2"	0.1109	50	500
W 01564	1" x 3/4"	0.1807	25	250

Adapter • Special Drop

C x FPT

- Cast Style #: C-102S*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03948*	1/2"	0.1590	50	250

Adapter • Male

C x MPT

- Wrot Style #: WC-401
- Cast Style #: C-101*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01107	1/8"	0.0158	50	1000
W 01115	1/4"	0.033	50	1200
W 01125	3/8"	0.0558	50	500
WB01131	1/2"	0.064	50	500
WB01146	3/4"	0.133	25	250
WB01163	1"	0.2365	10	100
W 01171	1-1/4"	0.4105	10	100
W 01179	1-1/2"	0.5145	10	100
W 01187	2"	0.573	5	50
W 01196	2-1/2"	1.257	1	20
W 01199	3"	1.704	1	20
W 01150	4"	3.711	1	16
A 01876*	4"	3.538	1	10
A 02005*	5"	8.6	1	5
A 02104*	6"	10.73	1	3
W 01105	1/8" x 3/8"	0.0604	50	750
W 01106	1/8" x 1/4"	0.0325	50	1200

(CONTINUED NEXT COLUMN)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01113	1/4" x 1/2"	0.0847	50	500
W 01114	1/4" x 3/8"	0.0571	50	1000
W 01116	1/4" x 1/8"	0.0193	50	1000
W 01123	3/8" x 3/4"	0.1709	25	250
W 01124	3/8" x 1/2"	0.0921	50	500
W 01126	3/8" x 1/4"	0.053	50	750
W 01129	1/2" x 1"	0.2968	15	150
WB01130	1/2" x 3/4"	0.1725	25	250
W 01132	1/2" x 3/8"	0.0656	50	500
W 01133	1/2" x 1/4"	0.0554	25	600
W 01138	5/8" x 3/4"	0.141	25	250
W 01139	5/8" x 1/2"	0.1243	25	500
A 02547*	3/4" x 1-1/4"	0.375	10	100
W 01145	3/4" x 1"	0.2925	10	100
W 01147	3/4" x 1/2"	0.1201	25	250
W01161	1" x 1-1/2"	0.4841	10	100
W01162	1" x 1-1/4"	0.3856	10	100
W 01164	1" x 3/4"	0.1734	10	100
W 01165	1" x 1/2"	0.182	25	250
W 01170	1-1/4" x 1-1/2"	0.4834	10	100
W 01172	1-1/4" x 1"	0.2384	10	100
W01173	1-1/4" x 3/4"	0.2137	10	100
W 01178	1-1/2" x 2"	0.776	1	50
W 01180	1-1/2" x 1-1/4"	0.3742	10	100
W 01181	1-1/2" x 1"	0.3838	10	100
W 01188	2" x 1-1/2"	0.6444	1	50
W 01189	2" x 1-1/4"	0.568	1	50
W 01197	2-1/2" x 2"	0.9794	1	20
W 01198	2-1/2" x 1-1/2"	0.9754	1	20

Adapter • Male (Flush)

C x MPT

- Wrot Style #: 104-F
- Cast Style #: C-101F*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01136	1/2"	0.0274	5	1700
A 03637*	3/4"	0.0280	50	500

Adapter • Fitting

FTG x MPT

- Wrot Style #: WC-404
- Cast Style #: C-104*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01425	3/8"	0.0534	50	750
W 01431	1/2"	0.0885	50	500
W 01446	3/4"	0.1538	50	500
W 01463	1"	0.2308	25	250
W 01471	1-1/4"	0.4108	10	100
W 01479	1-1/2"	0.4914	10	100
W 01487	2"	0.7552	1	50
W 01496	2-1/2"	1.9502	1	20
A 01778*	3"	2.214	1	25
W 01432	1/2" x 3/8"	0.0626	50	750
A 01474*	3/4" x 1"	0.27	25	250
W 01447	3/4" x 1/2"	0.1304	25	250
W 01464	1" x 3/4"	0.1855	25	250

* Cast Bronze

▶ WROT-CAST PRESSURE | SOLDER JOINT

Air Chamber

FTG

■ Wrot Style #: WA-515



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 06000	1/2" x 6"	0.2229	1	100
W 06001	1/2" x 12"	0.4203	1	50
W 06002	3/4" x 12"	0.4063	1	72

Bushing • Flush

FTG x C

■ Wrot Style #: WC-106



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01706	1/4" x 1/8"	0.0079	100	3400
W 01712	3/8" x 1/4"	0.0137	100	3400
W 01714	3/8" x 1/8"	0.022	100	2400
W 01715	1/2" x 3/8"	0.0197	100	1500
W 01717	1/2" x 1/4"	0.0446	100	1500
W 01720	5/8" x 1/2"	0.0314	50	750
W 01721	5/8" x 3/8"	0.0575	50	750
W 01722	5/8" x 1/4"	0.0765	50	750
W 01725	3/4" x 5/8"	0.0419	50	500
W 01726	3/4" x 1/2"	0.0738	50	500
W 01727	3/4" x 3/8"	0.1113	50	500
W 01737	1" x 3/4"	0.1249	50	500
W 01738	1" x 5/8"	0.1779	50	500
W 01739	1" x 1/2"	0.2193	25	250
W 01743	1-1/4" x 1"	0.1614	10	200
W 01745	1-1/4" x 3/4"	0.298	10	200
W 01750	1-1/2" x 1-1/4"	0.219	10	100
W 01751	1-1/2" x 1"	0.4073	10	100
W 01758	2" x 1-1/2"	0.6752	10	100
W 01759	2" x 1-1/4"	0.9419	5	50
W 01767	2-1/2" x 2"	0.9225	1	50

Bushing • Flush

FTG x FPT

■ Wrot Style #: WC-417
(Brass)



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07813	1/2" x 1/4"	0.0218	50	1200
A 07812	1/2" x 1/8"	0.0363	100	1600
A 07814	3/4" x 3/8"	0.0804	50	600
A 07815	1" x 1/2"	0.1658	50	300
A 07816	1-1/4" x 3/4"	0.2488	10	160
A 07817	1-1/2" x 1"	0.3388	10	120
A 07819	2" x 1-1/2"	0.4825	10	60

Cap

C

■ Wrot Style #: WC-415
■ Cast Style #: C-115*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07002	1/8"	0.0033	50	2000
W 07004	1/4"	0.0056	50	2000
W 07006	3/8"	0.0125	50	1000
W 07007	1/2"	0.0188	50	1000
W 07008	5/8"	0.0319	50	1000
W 07009	3/4"	0.043	25	1000
W 07011	1"	0.0775	10	500
W 07012	1-1/4"	0.1058	25	250
W 07013	1-1/2"	0.175	25	250
W 07014	2"	0.3	1	100
W 07015	2-1/2"	0.475	1	50
W 07016	3"	0.725	1	50
W 07017	3-1/2"	1.15	1	25
W 07018	4"	1.5	1	20
A 02016*	5"	5.484	1	5
A 02115*	6"	9.67	1	5

Coupling • No Stop

C x C

■ Wrot Style #: WC-400NS



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01900	1/8"	0.0046	100	3400
W 01901	1/4"	0.008	50	1700
W 01902	3/8"	0.0148	50	1700
W 01903	1/2"	0.0253	100	1000
W 01904	5/8"	0.044	25	375
W 01905	3/4"	0.0628	50	500
W 01906	1"	0.1075	25	250
W 01907	1-1/4"	0.1483	25	250
W 01908	1-1/2"	0.248	10	100
W 01909	2"	0.399	1	75
W 01910	2-1/2"	0.6643	1	50
W 01911	3"	1.0296	1	25
W 01913	4"	2.1467	1	15

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

Coupling • Rolled Stop

C x C

■ Wrot Style #: WC-400



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01003	1/8"	0.0046	100	3400
W 01009	1/4"	0.008	50	1700
W 01017	3/8"	0.0149	50	1700
WB01022	1/2"	0.0253	50	1000
W 01028	5/8"	0.045	50	500
WB01034	3/4"	0.0628	25	500
WB01047	1"	0.1075	10	250
W 01055	1-1/4"	0.1530	25	250
W 01063	1-1/2"	0.2070	10	100
W 01072	2"	0.3960	1	75
W 01082	2-1/2"	0.6630	1	50
W 01092	3"	1.0290	1	25
W10100	3-1/2"	1.1786	1	20
W10107	4"	2.1050	1	15

Coupling • Staked Stop

C x C

■ Wrot Style #: WC-400S



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 10141	1/8"	0.0046	100	3400
W10143	1/4"	0.0080	50	1700
W10144	3/8"	0.0150	50	1700
W10145	1/2"	0.0253	100	1000
W10157	5/8"	0.0431	25	500
W10146	3/4"	0.0628	50	500
W10147	1"	0.1075	25	250
W10148	1-1/4"	0.1484	25	250
W10149	1-1/2"	0.2170	10	100
W10150	2"	0.4090	1	75
W 10151	2-1/2"	0.6640	1	50
W10152	3"	1.0230	1	25
W10153	3-1/2"	1.0340	1	20
W10154	4"	2.1510	1	15
W10155	5"	3.3373	1	8
W10156	6"	4.6125	1	3
W10130	8"	14.130	0	1

Coupling • Reducing

C x C

■ Wrot Style #: WC-400R



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01011	1/4" x 1/8"	0.0072	50	1700
W 01019	3/8" x 1/4"	0.0150	50	1700
W 01021	3/8" x 1/8"	0.0161	50	1200
W 01023	1/2" x 3/8"	0.0291	100	1000
W 01025	1/2" x 1/4"	0.0292	100	1000
W 01027	1/2" x 1/8"	0.0293	100	1000
W 01029	5/8" x 1/2"	0.0454	100	600
W 01030	5/8" x 3/8"	0.0373	100	600
W 01031	5/8" x 1/4"	0.0416	100	600
W 01035	3/4" x 5/8"	0.0614	100	1000
WB01036	3/4" x 1/2"	0.0788	25	500
W 01037	3/4" x 3/8"	0.0576	50	500
W 01038	3/4" x 1/4"	0.0566	50	500
W 01049	1" x 3/4"	0.1332	25	250
W 01050	1" x 5/8"	0.1127	25	250
W 01051	1" x 1/2"	0.1089	25	250
W 01052	1" x 3/8"	0.1092	25	250
W 01056	1-1/4" x 1"	0.1954	10	100
W 01058	1-1/4" x 3/4"	0.1703	10	100
W 01060	1-1/4" x 1/2"	0.1660	10	100
W 01064	1-1/2" x 1-1/4"	0.2310	10	100
W 01065	1-1/2" x 1"	0.2310	10	100
W 01067	1-1/2" x 3/4"	0.2385	10	100
W 01069	1-1/2" x 1/2"	0.2240	10	100
W 01073	2" x 1-1/2"	0.4280	1	100
W 01074	2" x 1-1/4"	0.4250	1	100
W 01075	2" x 1"	0.4580	1	100
W 01077	2" x 3/4"	0.4014	1	100
W 01079	2" x 1/2"	0.4060	1	75
W 01083	2-1/2" x 2"	0.6490	1	50
W 01084	2-1/2" x 1-1/2"	0.7463	1	50
W 01085	2-1/2" x 1-1/4"	0.6983	1	50
W 01086	2-1/2" x 1"	0.7079	1	50
W 01093	3" x 2-1/2"	1.0647	1	25
W 01094	3" x 2"	1.0953	1	25
W 01095	3" x 1-1/2"	1.0103	1	25
W 10101	3-1/2" x 3"	1.2194	1	25
W10108	4" x 3-1/2"	1.8692	1	20
W10109	4" x 3"	0.7604	1	20
W10110	4" x 2-1/2"	1.8789	1	15
W10111	4" x 2"	1.9666	1	20
W10116	5" x 4"	3.3100	1	1
W10123	6" x 4"	4.8200	1	1
W10124	6" x 3"	4.8500	1	1

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

Coupling • Cross Over

C x C

- Wrot Style #: WC-412



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 02535	1/2"	0.1188	5	100
A 02583	3/4"	0.2559	5	50

Coupling • Drain

C x C

- Cast Style #: CD-100*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11547*	1/2"	0.0770	10	200
A 11548*	3/4"	0.1370	25	250
A 11549*	1"	0.2190	10	100

Coupling • Eccentric

C x C

- Cast Style #: CE-100*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 04340*	3/4" x 1/2"	0.1090	50	250
A 04341*	1" x 3/4"	0.1750	25	250
A 04342*	1-1/4" x 1"	0.2500	10	100
A 04343*	1-1/4" x 3/4"	0.2420	10	100

Coupling • High Ear

C

- Cast Style #: C-100HE*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03067*	1/2"	0.0620	100	1000
A 03068*	3/4"	0.0900	25	500
A 03071*	1"	0.1310	25	250

Cross

C x C x C x C

- Cast Style #: T-312*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 02532*	1/2"	0.1400	25	250
A 02579*	3/4"	0.2980	10	100
A 02612*	1"	0.5400	5	100
A 02649*	1-1/4"	0.7420	5	50
A 02672*	1-1/2"	1.0470	1	50
A 02707*	2"	2.0000	1	25
A 02734*	2-1/2"	2.9100	1	15

45° Elbow

C x C

- Wrot Style #: WE-504



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 03005	1/8"	0.0066	50	1700
W 03012	1/4"	0.0125	50	1700
W 03021	3/8"	0.0257	25	850
W 03026	1/2"	0.0360	50	500
W 03030	5/8"	0.0590	50	500
WB03034	3/4"	0.0900	25	250
WB03044	1"	0.1560	10	200
W 03050	1-1/4"	0.2500	10	100
W 03055	1-1/2"	0.3570	10	100
W 03059	2"	0.6020	10	50
W 03063	2-1/2"	0.9950	5	25
W 03067	3"	1.5320	2	20
W 03070	3-1/2"	2.8137	2	10
W 03073	4"	3.1418	1	5
W 03074	5"	6.5640	1	1
W 03075	6"	10.6360	1	1

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

45° Elbow

FTG x FTG

■ Wrot Style #: WE-507



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 03621	3/8"	0.0212	50	1700
W 03626	1/2"	0.0366	50	750
W 03634	3/4"	0.0958	25	250
W 03644	1"	0.1775	10	100

45° Elbow • Street

FTG x C

■ Wrot Style #: WE-505



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 03312	1/4"	0.0106	100	3400
W 03321	3/8"	0.0268	100	1500
WB03326	1/2"	0.0348	50	500
W 03330	5/8"	0.0570	50	500
WB03334	3/4"	0.0912	25	250
W 03344	1"	0.1520	25	250
W 03350	1-1/4"	0.2440	10	100
W 03355	1-1/2"	0.3270	10	100
W 03359	2"	0.6050	5	50
W 03363	2-1/2"	1.0485	2	20
W 03368	3"	1.5163	2	10
W 03373	4"	3.1146	1	5

90° Elbow • Short Radius

C x C

■ Wrot Style #: WE-500

■ Cast Style #: E-200*

Applies to Wrot Fittings only



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02003	1/8"	0.0078	50	1700
W 02009	1/4"	0.0173	50	1700
W 01617	3/8"	0.0279	50	750
WB01622	1/2"	0.0410	50	500
W 02028	5/8"	0.0840	50	500
WB01634	3/4"	0.0943	25	250
WB01647	1"	0.1820	10	100
W 02084	1-1/4"	0.3030	10	100
W 02085	1-1/2"	0.4230	10	100
W 02086	2"	0.7600	10	50
W 02019	3/8" x 1/4"	0.0267	50	750
W 02087	2-1/2"	1.1920	5	25
W 02088	3"	1.8820	5	25
W 02089	3-1/2"	2.7699	2	10

(CONTINUED NEXT COLUMN)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02090	4"	3.9976	2	10
W 02096	5"	8.5860	1	1
W 02097	6"	13.7262	1	1
W 02099	8"	27.0000	1	1
W 02011	1/4" x 1/8"	0.0165	50	750
W 02019	3/8" x 1/4"	0.0267	50	750
W 02023	1/2" X 3/8"	0.0451	50	500
W 02025	1/2" X 1/4"	0.0456	50	500
W 02029	5/8" X 1/2"	0.0610	50	500
W 02030	5/8" X 3/8"	0.0667	50	500
W 02035	3/4" X 5/8"	0.1064	50	500
W 02036	3/4" X 1/2"	0.1050	50	500
W 02037	3/4" x 3/8"	0.1056	50	500
W 02049	1" x 3/4"	0.1710	25	250
W 02050	1" x 5/8"	0.1640	25	250
W 02051	1" x 1/2"	0.1799	25	250
W 02052	1" x 3/8"	0.1990	25	150
W 02056	1-1/4" x 1"	0.3163	20	200
A 02638*	1-1/4" x 3/4"	0.3380	10	100
A 03826*	1-1/4" x 1/2"	0.2800	10	100
W 02077	1-1/2" x 1-1/4"	0.3300	5	100
A 02663*	1-1/2" x 1"	0.5510	10	100
A 03905*	1-1/2" x 3/4"	0.4250	10	100
W 02078	2" x 1-1/2"	0.6000	5	50
A 02691*	2" x 1-1/4"	0.9130	5	50
A 02724*	2" x 1"	0.7800	5	50
A 02724*	2" X 1"	0.7800	5	50
A 02725*	2-1/2" X 2"	2.1620	1	10
A 02777*	3" X 2-1/2"	2.7620	1	20
A 02778*	3" X 2"	2.6800	1	10
A 01932*	4" X 3"	5.1800	1	5

90° Elbow • Long Radius

C x C

■ Wrot Style #: WE-500L



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02715	1/8"	0.0101	50	1700
W 02716	1/4"	0.0240	50	1700
W 02717	3/8"	0.0420	50	500
W 02722	1/2"	0.0590	50	500
W 02728	5/8"	0.0930	50	500
W 02734	3/4"	0.1293	25	250
W 02747	1"	0.2690	10	100
W 02055	1-1/4"	0.4210	10	100
W 02063	1-1/2"	0.6040	5	50
W 02072	2"	1.2280	5	25
W 02082	2-1/2"	2.0540	5	25
W 02092	3"	3.1250	2	10
W 02093	3-1/2"	5.5310	1	5
W 02095	4"	7.9780	0	1

(CONTINUED NEXT COLUMN)

* Cast Bronze

▶ WROT-CAST PRESSURE | SOLDER JOINT

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02711	1/4" x 1/8"	0.0110	50	3000
W 02719	3/8" x 1/4"	0.0260	50	1000
W 02723	1/2" x 3/8"	0.0400	50	500
W 02725	1/2" x 1/4"	0.0300	50	1000
W 02735	3/4" x 5/8"	0.1200	25	250
W 02736	3/4" x 1/2"	0.0900	50	400
W 02749	1" x 3/4"	0.1700	10	200
W 02756	1-1/4" x 1"	0.3100	10	100
W 02064	1-1/2" x 1-1/4"	0.4351	5	50
W 02065	1-1/2" x 1"	0.5166	5	50
W 02067	1-1/2" x 3/4"	0.5127	5	50
W 02073	2" x 1-1/2"	0.9844	2	20
W 02074	2" x 1-1/4"	0.9437	2	20
W 02075	2" x 1"	0.9654	2	20
W 02083	2-1/2" x 2"	1.5277	2	20

90° Elbow Short Radius • Street

FTG x C

■ Wrot Style #: WE-503



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02305	1/8"	0.0082	50	1700
W 02312	1/4"	0.0174	50	1700
W 02321	3/8"	0.0300	50	750
WB01652	1/2"	0.0400	50	500
W 02330	5/8"	0.0900	25	250
WB01654	3/4"	0.0954	25	250
WB02344	1"	0.2180	10	100
W 02384	1-1/4"	0.2940	25	125
W 02385	1-1/2"	0.4410	10	100
W 02386	2"	0.7692	10	50
W 02387	2-1/2"	1.2310	5	25
W 02388	3"	1.9440	2	20
W 02389	3-1/2"	2.7809	1	10
W 02390	4"	4.0338	2	10

90° Elbow Long Radius • Street

FTG x C

■ Wrot Style #: WE-503L



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02809	1/4"	0.0236	50	1700
W 02817	3/8"	0.0401	50	500
W 02822	1/2"	0.0590	50	500
W 02828	5/8"	0.0943	25	250
W 02834	3/4"	0.1283	25	250
W 02847	1"	0.2585	10	100
W 02350	1-1/4"	0.4225	10	100
W 02355	1-1/2"	0.6020	5	50
W 02359	2"	1.2327	5	25
W 02363	2-1/2"	2.0800	5	25
W 02368	3"	3.1200	2	10
W 02393	3-1/2"	5.5179	1	5
W 02395	4"	8.0678	0	1

90° Elbow • Short Radius

FTG x FTG

■ Wrot Style #: WE-506



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02612	1/4"	0.0153	50	1700
W 02621	3/8"	0.0340	50	750
W 02626	1/2"	0.0493	50	500
W 02634	3/4"	0.1093	25	250
W 02644	1"	0.2178	10	100
W 02684	1-1/4"	0.3064	10	100
W 02685	1-1/2"	0.4251	5	50
W 02686	2"	0.7860	1	10
W 02687	2-1/2"	1.2530	1	10
W 02688	3"	2.0831	1	10
W 02689	3-1/2"	2.6250	1	10
W 02690	4"	3.8750	1	5

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

90° Elbow • Long Radius

FTG x FTG

■ Wrot Style #: WE-506L



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 02650	1-1/4"	0.4364	5	50
W 02655	1-1/2"	0.6282	5	50
W 02659	2"	1.2321	1	10

90° Elbow • Drop Ear

C x C

■ Cast Style #: E-210*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 02508*	1/2"	0.1170	50	500
A 02556*	3/4"	0.2280	10	200

90° Elbow • High Ear

C x C

■ Cast Style #: E-210HE*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03040*	1/2"	0.1260	25	250
A 03070*	3/4"	0.2130	10	100

90° Elbow • Union

C x C

■ Cast Style #: E-207*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11431*	3/8"	0.1670	25	250
A 11432*	1/2"	0.2430	25	250
A 11433*	3/4"	0.3940	10	100
A 11434*	1"	0.6360	5	50
A 11435*	1-1/4"	1.0680	5	50

90° Elbow • w/Drain

C x C

■ Cast Style #: E-200D*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11555*	1/2"	0.1000	50	500
A 11556*	3/4"	0.1970	25	250
A 11557*	1"	0.3070	10	100

90° Elbow • Flanged Sink

C x FPT

■ Cast Style #: E-215*



PART #	DIAMETER	WEIGHT	INNER	MASTER
A 03706*	1/2"	0.1990	25	250

90° Elbow

C x FPT

■ Cast Style #: E-202*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01397*	3/8"	0.0900	50	500
A 01507*	1/2"	0.2200	25	150
A 01532*	3/4"	0.1890	25	150
A 01559*	1"	0.4380	10	100
A 01594*	1-1/4"	0.7070	5	50
A 01632*	1-1/2"	0.9120	5	50
A 01680*	2"	1.4580	1	25

90° Elbow • Reducing

C x FPT

■ Cast Style #: E-202*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01379*	3/8" x 1/2"	0.1300	50	500
A 02512*	1/2" x 3/4"	0.1830	25	250
A 01520*	1/2" x 3/8"	0.0850	25	500
A 02559*	3/4" x 1"	0.3580	10	100
A 02560*	3/4" x 1/2"	0.1980	25	250
A 02609*	1" x 3/4"	0.3300	10	100

90° Elbow • Drop Ear

C x FPT

■ Cast Style #: E-211*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01367*	3/8"	0.1200	50	500
A 01508*	1/2"	0.1510	25	250
A 02581*	3/4"	0.2400	25	100
A 02849*	1"	0.4850	10	100
A 01361*	3/8" x 1/2"	0.1800	50	500
A 02513*	1/2" x 3/8"	0.1650	50	250
A 02850*	3/4" x 1/2"	0.2400	25	250

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

90° Elbow • High Ear

C x FPT

■ Cast Style #: E-211HE*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03038*	1/2"	0.1970	25	250
A 03048*	3/4"	0.2950	25	150

90° Elbow • w/Union

C x FPT

■ Cast Style #: E-209*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11452*	1/2"	0.3090	10	100
A 11453*	3/4"	0.4860	10	100
A 11454*	1"	0.7890	5	50

90° Elbow • w/Union

C x MPT

■ Cast Style #: E-208*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11441*	3/8"	0.2060	10	200
A 11442*	1/2"	0.2990	10	100
A 11443*	3/4"	0.4870	10	100
A 11444*	1"	0.7250	5	50
A 11445*	1-1/4"	1.1580	5	50

90° Elbow

C x MPT

■ Cast Style #: E-201*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01396*	3/8"	0.0800	50	500
A 01506*	1/2"	0.1140	50	250
A 01531*	3/4"	0.2270	25	125
A 01558*	1"	0.3900	10	100
A 01593*	1-1/4"	0.5840	10	50
A 01631*	1-1/2"	0.7690	5	50
A 01679*	2"	1.3800	1	25
A 02509*	1/2" x 3/4"	0.2010	25	250
A 02510*	1/2" x 3/8"	0.1000	25	500
A 02557*	3/4" x 1"	0.3300	10	100
A 02558*	3/4" x 1/2"	0.1800	10	200

90° Fitting Reducer

FTG x C

■ Wrot Style #: WC-403



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 01306	1/4" x 1/8"	0.0143	50	1700
W 01312	3/8" x 1/4"	0.0152	50	1700
W 01314	3/8" x 1/8"	0.0127	50	1700
W 01315	1/2" x 3/8"	0.0272	50	750
W 01317	1/2" x 1/4"	0.0246	50	1700
W 01320	5/8" x 1/2"	0.0419	100	1000
W 01321	5/8" x 3/8"	0.0401	100	900
W 01322	5/8" x 1/4"	0.0356	100	900
W 01325	3/4" x 5/8"	0.0574	50	500
W 01326	3/4" x 1/2"	0.0641	50	500
W 01327	3/4" x 3/8"	0.0564	50	500
W 01328	3/4" x 1/4"	0.0490	50	1000
W 01337	1" x 3/4"	0.1131	25	250
W 01338	1" x 5/8"	0.1028	25	250
W 01339	1" x 1/2"	0.1002	25	250
W 01340	1" x 3/8"	0.0986	20	200
W 01343	1-1/4" x 1"	0.1744	10	100
W 01345	1-1/4" x 3/4"	0.1670	10	100
W 01347	1-1/4" x 1/2"	0.1563	10	100
W 01350	1-1/2" x 1-1/4"	0.2330	10	100
W 01351	1-1/2" x 1"	0.2370	10	100
W 01353	1-1/2" x 3/4"	0.2284	10	100
W 01355	1-1/2" x 1/2"	0.2190	10	100
W 01358	2" x 1-1/2"	0.4360	1	100
W 01359	2" x 1-1/4"	0.4320	1	100
W 01360	2" x 1"	0.4460	1	100
W 01362	2" x 3/4"	0.4268	1	100
W 01364	2" x 1/2"	0.4155	1	100
W 01367	2-1/2" x 2"	0.6180	1	50
W 01368	2-1/2" x 1-1/2"	0.5714	1	50
W 01369	2-1/2" x 1-1/4"	0.6214	1	50
W 01370	2-1/2" x 1"	0.6300	1	50
W 01376	3" x 2-1/2"	0.9997	1	25
W 01377	3" x 2"	0.8942	1	25
W 01378	3" x 1-1/2"	0.9159	1	50
W 01379	3" x 1-1/4"	1.0146	1	50
W 01381	3-1/2" x 3"	1.2756	1	20
W 01382	3-1/2" x 2-1/2"	1.3721	1	20
W 01383	3-1/2" x 2"	1.4670	1	20
W 01386	4" x 3-1/2"	1.7416	1	20
W 01387	4" x 3"	1.7657	1	15
W 01388	4" x 2-1/2"	1.8293	1	15
W 01389	4" x 2"	1.8577	1	15
W 01390	5" x 4"	3.2400	1	1
W 01391	5" x 3"	2.7600	1	1
W 01393	5" x 2"	2.6600	1	1
W 01394	6" x 5"	4.8000	1	1
W 01395	6" x 4"	4.3200	1	1
W 01396	6" x 3"	4.4900	1	1

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

Flange (Companion) • Class 125

C x Flange

■ Cast Style #: F-940*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 02881*	1/2"	0.4870	1	50
A 02882*	3/4"	0.7110	1	50
A 02883*	1"	0.9890	1	12
A 02884*	1-1/4"	1.1420	1	12
A 02885*	1-1/2"	1.6410	1	10
A 02886*	2"	2.7420	1	8
A 02887*	2-1/2"	3.7940	1	6
A 02888*	3"	4.9500	1	6
A 02889*	4"	6.8980	1	2
A 02890*	5"	9.0390	1	2
A 02891*	6"	13.1800	1	2
A 04152*	8"	25.9000	1	1

Flange (Companion) • Class 150

C x Flange

■ Cast Style #: F-900*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 04114*	3/4"	1.1470	1	40
A 02933*	1"	1.5930	1	12
A 03806*	1-1/4"	2.0370	1	12
A 03907*	1-1/2"	2.4330	1	12
A 02980*	2"	3.6700	1	8
A 02746*	2-1/2"	5.8290	1	6
A 02802*	3"	7.4470	1	6
A 01940*	4"	10.3500	1	2
A 02052*	5"	15.6880	1	2
A 02149*	6"	17.9140	1	2

Plug • Fitting

FTG

■ Wrot Style #: WC-416
(Brass)



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01402	1/8"	0.0073	50	500
A 01392	3/8"	0.0200	50	2000
A 01504	1/2"	0.0305	50	1200
A 01529	3/4"	0.0700	50	600
A 01556	1"	0.1208	25	300
A 01590	1-1/4"	0.1950	180	180
A 01628	1-1/2"	0.2822	10	120

P-Trap • Pressure

C x C

■ Wrot Style #: WE-554P



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 60999	1/2"	0.3794	10	50
W 61008	5/8"	0.5100	10	50
W 61000	3/4"	0.6260	5	25
W 61001	1"	0.8720	3	15
W 61002	1-1/4"	1.1639	4	20
W 61003	1-1/2"	2.2755	1	4
W 61009	2"	3.8732	1	3

Return Bend

C x C

■ Wrot Style #: WE-512



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 06025	1/4" x 4-1/2"	0.0958	25	150
W 06020	1/4" x 1-1/2"	0.0164	25	850
W 06048	3/8" x 6"	0.2078	100	100
W 06045	3/8" x 4"	0.1424	200	200
W 06041	3/8" x 3"	0.1133	25	250
W 06036	3/8" x 2"	0.0600	50	300
W 06035	3/8" x 1-29/32"	0.0752	50	300
W 06032	3/8" x 1-1/2"	0.0623	50	500
W 06069	1/2" x 6"	0.2990	5	30
W 06062	1/2" x 3-3/8"	0.1800	10	100
W 06060	1/2" x 3"	0.1632	25	150
W 06058	1/2" x 2-1/2"	0.1436	25	250
W 06056	1/2" x 2-1/4"	0.1272	25	250
W 06053	1/2" x 1-7/8"	0.1100	25	250
W 06051	1/2" x 1-9/16"	0.0966	25	250
W 06084	5/8" x 4"	0.2462	120	120
W 06081	5/8" x 3-3/8"	0.2352	10	90
W 06077	5/8" x 2-1/2"	0.1717	10	100
W 06074	5/8" x 2-1/8"	0.1640	10	100
W 06073	5/8" x 2"	0.1515	10	100
W 06099	3/4" x 12"	0.8765	15	15
W 06095	3/4" x 3-3/8"	0.2899	10	100
W 06092	3/4" x 2-1/2"	0.2301	10	100
W 60111	1" x 3-1/4"	0.4890	5	50
W 60110	1" x 3"	0.4700	5	50
W 60121	1-1/4" x 3-3/4"	0.6467	5	50
W 60131	1-1/2" x 4-1/2"	0.9955	1	25
W60140	2" x 5-1/2"	1.9200	1	15

Return Bend • Closed

C x C

■ Cast Style #: E-212*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 04106*	3/4" x 1-5/16"	0.2910	10	100

* Cast Bronze

▶ WROT-CAST PRESSURE | SOLDER JOINT

Tee

C X C X C

■ Wrot Style #: WT-600



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 40306	1/8"	0.0095	100	2400
W 04000	1/4"	0.0220	50	1700
W 04001	3/8"	0.0429	50	500
WB04006	1/2"	0.0655	50	500
W 04017	5/8"	0.1161	25	250
WB04031	3/4"	0.1550	25	200
WB04048	1"	0.2932	10	100
W 04068	1-1/4"	0.4220	5	50
W 04084	1-1/2"	0.5974	5	50
W 40102	2"	1.1410	5	25
W 40123	2 1/2"	1.7240	2	20
W 40152	3"	2.7700	2	10
W 40190	3-1/2"	5.6586	1	5
W 40200	4"	5.9870	1	5
W 40400	5"	12.3840	1	1
W 40500	6"	20.8500	0	1
W 40525	8"	36.8100	0	1

Tee • Reducing

C X C X C

■ Wrot Style #: WT-600

■ Cast Style #: T-300*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 40368	1/8" x 1/8" x 1/4"	0.0273	50	750
W 04016	1/4" x 1/4" x 1/2"	0.0843	50	500
W 04005	1/4" x 1/4" x 3/8"	0.0378	50	500
W 40324	1/4" x 1/4" x 1/8"	0.0194	50	1700
W 40330	1/4" x 1/8" x 1/4"	0.0227	50	500
W 40332	1/4" x 1/8" x 1/8"	0.0223	50	1700
W 04015	3/8" x 3/8" x 1/2"	0.0944	50	500
W 04002	3/8" x 3/8" x 1/4"	0.0371	50	500
W 40350	3/8" x 3/8" x 1/8"	0.0422	50	500
W 04003	3/8" x 1/4" x 3/8"	0.0477	50	500
W 04004	3/8" x 1/4" x 1/4"	0.0426	50	500
W 40358	3/8" x 1/4" x 1/8"	0.0413	50	750
W 40363	3/8" x 1/8" x 3/8"	0.0522	50	750
W 40364	3/8" x 1/8" x 1/4"	0.0419	50	750
W 40366	3/8" x 1/8" x 1/8"	0.0462	50	450
W 04067	1/2" x 1/2" x 1"	0.3545	10	100
W 04047	1/2" x 1/2" x 3/4"	0.1060	25	250
W 04029	1/2" x 1/2" x 5/8"	0.0982	25	250
W 04007	1/2" x 1/2" x 3/8"	0.0779	50	500
W 04008	1/2" x 1/2" x 1/4"	0.0618	50	500
W 04014	1/2" x 1/2" x 1/8"	0.0833	50	500
W 04009	1/2" x 3/8" x 1/2"	0.0863	50	500
W 04010	1/2" x 3/8" x 3/8"	0.0787	50	500
W 04011	1/2" x 3/8" x 1/4"	0.0848	50	500
W 04012	1/2" x 1/4" x 1/2"	0.0894	50	500
W 40367	1/2" x 1/4" x 3/8"	0.0819	50	500
W 04013	1/2" x 1/4" x 1/4"	0.0882	50	500
W 04046	5/8" x 5/8" x 3/4"	0.1473	25	250
W 04018	5/8" x 5/8" x 1/2"	0.1014	25	250

(CONTINUED NEXT COLUMN)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 04007	1/2" x 1/2" x 3/8"	0.0779	50	500
W 04008	1/2" x 1/2" x 1/4"	0.0618	50	500
W 04014	1/2" x 1/2" x 1/8"	0.0833	50	500
W 04009	1/2" x 3/8" x 1/2"	0.0863	50	500
W 04010	1/2" x 3/8" x 3/8"	0.0787	50	500
W 04011	1/2" x 3/8" x 1/4"	0.0848	50	500
W 04012	1/2" x 1/4" x 1/2"	0.0894	50	500
W 40367	1/2" x 1/4" x 3/8"	0.0819	50	500
W 04013	1/2" x 1/4" x 1/4"	0.0882	50	500
W 04046	5/8" x 5/8" x 3/4"	0.1473	25	250
W 04018	5/8" x 5/8" x 1/2"	0.1014	25	250
W 04045	3/4" x 1/2" x 1/4"	0.1503	25	225
W 40230	3/4" x 3/8" x 3/4"	0.1900	25	250
W 40231	3/4" x 3/8" x 1/2"	0.1650	25	250
W 40232	3/4" x 3/8" x 3/8"	0.1210	25	250
W 40101	1" x 1" x 1-1/2"	0.4707	5	50
W 04082	1" x 1" x 1-1/4"	0.3140	5	50
WB04049	1" x 1" x 3/4"	0.2415	10	100
W 04050	1" x 1" x 5/8"	0.2706	10	100
WB04051	1" x 1" x 1/2"	0.2055	10	100
W 04052	1" x 1" x 3/8"	0.1877	10	100
W 04055	1" x 3/4" x 1"	0.2970	10	100
W 04056	1" x 3/4" x 3/4"	0.2532	10	100
W 04057	1" x 3/4" x 5/8"	0.4317	10	90
W 04058	1" x 3/4" x 1/2"	0.2324	10	100
W 04059	1" x 3/4" x 3/8"	0.2090	10	100
W 40233	1" x 5/8" x 1"	0.3255	10	100
W 40234	1" x 5/8" x 3/4"	0.3010	10	90
W 40235	1" x 5/8" x 5/8"	0.3091	10	100
W 40236	1" x 5/8" x 1/2"	0.3455	10	90
W 04061	1" x 1/2" x 1"	0.2982	10	100
W 04062	1" x 1/2" x 3/4"	0.2760	10	100
W 04063	1" x 1/2" x 1/2"	0.2146	10	100
W 40122	1-1/4" x 1-1/4" x 2"	0.8940	2	20
W 40100	1-1/4" x 1-1/4" x 1-1/2"	0.4873	5	50
W 04069	1-1/4" x 1-1/4" x 1"	0.4063	5	50
W 04070	1-1/4" x 1-1/4" x 3/4"	0.3540	5	50
W 04072	1-1/4" x 1-1/4" x 3/8"	0.2863	5	50
W 04073	1-1/4" x 1" x 1-1/4"	0.4779	5	50
W 04074	1-1/4" x 1" x 1"	0.4580	5	50
W 04075	1-1/4" x 1" x 3/4"	0.3805	5	50
W 04076	1-1/4" x 1" x 1/2"	0.3560	5	50
W 04078	1-1/4" x 3/4" x 1-1/4"	0.4540	5	50
W 04079	1-1/4" x 3/4" x 1"	0.4553	5	50
W 04080	1-1/4" x 3/4" x 3/4"	0.3687	5	50
W 04081	1-1/4" x 3/4" x 1/2"	0.3380	5	50
W 04083	1-1/4" x 1/2" x 1-1/4"	0.5739	5	50
A 01610*	1-1/4" x 1/2" x 1"	0.4830	5	50
W 40121	1-1/2" x 1-1/2" x 2"	1.2090	2	20
W 04085	1-1/2" x 1-1/2" x 1-1/4"	0.5670	5	50
W 04086	1-1/2" x 1-1/2" x 1"	0.5200	5	50
W 04087	1-1/2" x 1-1/2" x 3/4"	0.4717	5	50
W 04088	1-1/2" x 1-1/2" x 1/2"	0.4210	5	50
W 04089	1-1/2" x 1-1/2" x 3/8"	0.4140	5	50
W 04090	1-1/2" x 1-1/4" x 1-1/2"	0.6790	5	50
W 04091	1-1/2" x 1-1/4" x 1-1/4"	0.6880	5	50
W 04092	1-1/2" x 1-1/4" x 1"	0.5698	5	50
W 04093	1-1/2" x 1-1/4" x 3/4"	0.5660	5	50
W 04094	1-1/2" x 1-1/4" x 1/2"	0.4520	5	50
W 04095	1-1/2" x 1" x 1-1/2"	0.6760	5	50
W 04096	1-1/2" x 1" x 1-1/4"	0.6482	5	50
W 04097	1-1/2" x 1" x 1"	0.6114	5	50
W 04098	1-1/2" x 1" x 3/4"	0.5570	5	50
W 40237	1-1/2" x 1" x 1/2"	0.4540	5	30

(CONTINUED NEXT COLUMN)

* Cast Bronze

▶ WROT-CAST PRESSURE | SOLDER JOINT

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 04099	1-1/2" x 3/4" x 1-1/2"	0.6661	5	50
W 40239	1-1/2" x 3/4" x 1-1/4"	0.7522	5	50
W 40240	1-1/2" x 3/4" x 1"	0.5232	5	50
W 40238	1-1/2" x 3/4" x 3/4"	0.5540	5	50
W 40243	1-1/2" x 3/4" x 1/2"	0.4660	5	50
W 40244	1-1/2" x 3/4" x 1-1/2"	0.6630	5	50
W 40153	2" x 2" x 3"	2.5537	1	10
W 40144	2" x 2" x 2-1/2"	1.4586	1	10
W 40103	2" x 2" x 1-1/2"	0.9930	5	50
W 40104	2" x 2" x 1-1/4"	0.8510	5	50
W 40105	2" x 2" x 1"	0.8810	5	50
W 40106	2" x 2" x 3/4"	0.8317	5	50
W 40107	2" x 2" x 1/2"	0.6677	5	50
W 40109	2" x 1-1/2" x 2"	1.3140	2	20
W 40110	2" x 1-1/2" x 1-1/2"	1.1470	2	20
W 40111	2" x 1-1/2" x 1-1/4"	0.8647	2	20
W 40112	2" x 1-1/2" x 1"	1.0590	2	20
W 40113	2" x 1-1/2" x 3/4"	0.7535	2	20
W 40114	2" x 1-1/2" x 1/2"	0.7690	5	50
W 40115	2" x 1-1/4" x 2"	1.2956	2	20
W 40116	2" x 1-1/4" x 1-1/2"	1.1375	2	20
W 40117	2" x 1-1/4" x 1-1/4"	1.0900	2	20
W 40118	2" x 1-1/4" x 1"	0.9460	2	20
W 40119	2" x 1-1/4" x 3/4"	0.7606	5	50
W 40120	2" x 1-1/4" x 1/2"	0.7820	5	20
W 40245	2" x 1" x 2"	1.6369	5	25
W 40247	2" x 1" x 1"	1.0570	5	50
W 40248	2" x 3/4" x 2"	1.7076	5	25
W 40249	2" x 1/2" x 2"	1.6561	5	25
A 01812*	2-1/2" x 2-1/2" x 3"	2.9810	1	15
W 40124	2-1/2" x 2-1/2" x 2"	1.5930	2	20
W 40125	2-1/2" x 2-1/2" x 1-1/2"	1.4930	2	20
W 40126	2-1/2" x 2-1/2" x 1-1/4"	1.8741	2	20
W 40127	2-1/2" x 2-1/2" x 1"	1.8320	2	20
W 40128	2-1/2" x 2-1/2" x 3/4"	1.8270	1	10
W 40129	2-1/2" x 2-1/2" x 1/2"	2.0475	1	10
W 40130	2-1/2" x 2" x 2-1/2"	2.3007	4	20
W 40131	2-1/2" x 2" x 2"	1.8369	2	20
W 40132	2-1/2" x 2" x 1-1/2"	2.0884	4	20
W 40133	2-1/2" x 2" x 1-1/4"	2.1160	4	20
W 40134	2-1/2" x 2" x 1"	2.1000	4	20
W 40135	2-1/2" x 2" x 3/4"	2.0591	4	20
W 40136	2-1/2" x 2" x 1/2"	2.1980	4	20
W 40137	2-1/2" x 1-1/2" x 2-1/2"	2.3185	4	20
W 40138	2-1/2" x 1-1/2" x 2"	1.8438	4	20
W 40139	2-1/2" x 1-1/2" x 1-1/2"	2.1127	4	20
W 40140	2-1/2" x 1-1/2" x 1-1/4"	2.1682	4	20
W 40141	2-1/2" x 1-1/2" x 1"	1.8333	4	20
W 40142	2-1/2" x 1-1/2" x 3/4"	2.3573	4	20
W 40143	2-1/2" x 1-1/2" x 1/2"	2.3573	4	20
W 40220	2-1/2" x 1-1/4" x 2-1/2"	2.3457	4	20
W 40250	2-1/2" x 1-1/4" x 2"	1.8214	4	20
W 40251	2-1/2" x 1-1/4" x 1-1/2"	2.4695	4	20
W 40252	2-1/2" x 1-1/4" x 1-1/4"	1.9615	4	20
W 40253	2-1/2" x 1-1/4" x 1"	2.4695	4	20
W 40254	2-1/2" x 1-1/4" x 3/4"	2.1793	4	20
W 40255	2-1/2" x 1-1/4" x 1/2"	2.4695	4	20
W 40221	2-1/2" x 1" x 2-1/2"	2.3949	4	20
W 40256	2-1/2" x 1" x 2"	1.9737	4	20
W 40257	2-1/2" x 1" x 1-1/2"	2.1539	4	20
W 40258	2-1/2" x 1" x 1-1/4"	2.0444	4	20
W 40259	2-1/2" x 1" x 1"	2.2655	4	20
W 40222	2-1/2" x 3/4" x 2-1/2"	2.4105	4	20
A 01902*	3" x 3" x 4"	6.9600	1	5

(CONTINUED NEXT COLUMN)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 40151	3" x 3" x 2-1/2"	2.4451	2	10
W 40150	3" x 3" x 2"	2.2991	2	20
W 40149	3" x 3" x 1-1/2"	2.1760	2	10
W 40148	3" x 3" x 1-1/4"	2.3822	2	10
W 40147	3" x 3" x 1"	1.9647	2	20
W 40146	3" x 3" x 3/4"	1.4850	2	20
W 40145	3" x 3" x 1/2"	1.3780	2	20
W 40159	3" x 2-1/2" x 3"	2.9624	2	10
W 40158	3" x 2-1/2" x 2-1/2"	4.5160	2	10
W 40157	3" x 2-1/2" x 2"	2.6830	2	10
W 40156	3" x 2-1/2" x 1-1/2"	2.6252	2	10
W 40155	3" x 2-1/2" x 1-1/4"	2.6179	2	10
W 40154	3" x 2-1/2" x 1"	2.0165	2	20
W 40167	3" x 2" x 3"	3.0684	2	10
W 40165	3" x 2" x 2-1/2"	4.6424	2	10
W 40164	3" x 2" x 2"	2.7490	2	10
W 40163	3" x 2" x 1-1/2"	2.5732	2	10
W 40162	3" x 2" x 1-1/4"	2.6110	2	10
W 40161	3" x 2" x 1"	2.0430	2	20
W 40174	3" x 1-1/2" x 3"	2.9748	2	10
W 40181	3" x 1-1/4" x 3"	3.1416	2	10
W 40178	3" x 1" x 3"	3.0152	2	10
W 40163	3" x 2" x 1-1/2"	2.5732	2	10
W 40162	3" x 2" x 1-1/4"	2.6110	2	10
W 40161	3" x 2" x 1"	2.0430	2	20
W 40174	3" x 1-1/2" x 3"	2.9748	2	10
W 40181	3" x 1-1/4" x 3"	3.1416	2	10
W 40178	3" x 1" x 3"	3.0152	2	10
W 40179	3" x 3/4" x 3"	3.0287	2	10
W 40198	4" x 4" x 3"	4.9370	1	5
W 40197	4" x 4" x 2-1/2"	5.1562	1	5
W 40196	4" x 4" x 2"	4.5180	1	10
W 40195	4" x 4" x 1-1/2"	4.1000	1	10
W 40194	4" x 4" x 1-1/4"	4.5531	1	10
W 40193	4" x 4" x 1"	3.0540	1	10
W 40192	4" x 4" x 3/4"	2.8900	1	10
W 40191	4" x 4" x 1/2"	2.8880	1	10
W 40208	4" x 3" x 4"	8.6632	1	5
W 40206	4" x 3" x 3"	5.1180	1	5
W 40205	4" x 3" x 2-1/2"	5.6143	1	5
W 40204	4" x 3" x 2"	4.7578	1	5
W 40212	4" x 2-1/2" x 4"	7.7912	1	5
W 40216	4" x 2" x 4"	8.9477	1	5
W 40215	4" x 1-1/2" x 4"	8.5082	1	5
W 40214	4" x 1-1/4" x 4"	8.5658	1	5
W 40213	4" x 1" x 4"	9.3333	1	5
W 40401	5" x 5" x 4"	6.9500	1	1
W 40402	5" x 5" x 3"	6.2500	1	1
W 40404	5" x 5" x 2"	5.0500	1	1
W 40520	6" x 4" x 4"	12.5200	1	1
W 40502	6" x 6" x 4"	11.0000	1	1
W 40503	6" x 6" x 3"	10.9998	1	1
W 40504	6" x 6" x 2-1/2"	11.1046	1	1
W 40505	6" x 6" x 2"	9.5356	1	1
W 40526	8" x 8" x 4"	22.2640	1	1

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

Tee

C x C x FPT

■ Cast Style #: T-302*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01399*	3/8"	0.1050	50	480
A 01512*	1/2"	0.1250	25	250
A 01538*	3/4"	0.3250	10	100
A 01569*	1"	0.5420	5	50
A 01607*	1-1/4"	0.7560	5	50
A 01644*	1-1/2"	1.0800	1	25
A 01698*	2"	1.7400	1	25
A 02517*	1/2" x 1/2" x 3/4"	0.2180	25	250
A 01521*	1/2" x 1/2" x 3/8"	0.1470	25	250
A 01539*	3/4" x 3/4" x 1/2"	0.2170	25	250
A 02578*	3/4" x 3/4" x 3/8"	0.2300	25	250
A 02907*	3/4" x 1/2" x 3/4"	0.2800	25	100
A 01572*	1" x 1" x 3/4"	0.4220	10	100
A 01570*	1" x 1" x 1/2"	0.3470	10	100
A 02655*	1-1/4" x 1-1/4" x 1"	0.6600	5	50
A 02654*	1-1/4" x 1-1/4" x 3/4"	0.5510	10	100
A 01613*	1-1/4" x 1-1/4" x 1/2"	0.3960	10	100
A 02688*	1-1/2" x 1-1/2" x 1"	0.7920	5	50
A 02673*	1-1/2" x 1-1/2" x 3/4"	0.6480	5	50
A 01645*	1-1/2" x 1-1/2" x 1/2"	0.6200	5	50
A 02703*	2" x 2" x 1"	1.2280	1	25
A 02706*	2" x 2" x 3/4"	1.1000	1	25
A 01699*	2" x 2" x 1/2"	0.9720	1	25

Tee

FPT x MPT x C

■ Cast Style #: T-305*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03655*	3/4"	0.3400	10	100
A 03656*	3/4" x 3/4" x 1/2"	0.3280	10	100

Tee

C x FPT x C

■ Cast Style #: T-303*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 02516*	1/2"	0.1900	25	250
A 01548*	3/4"	0.3100	10	100
A 01577*	1"	0.5200	10	50
A 01621*	1-1/4"	0.7000	5	50
A 01646*	1-1/2"	1.0000	1	25
A 01712*	2"	1.7200	1	25
A 02151*	1/2" x 3/4" x 1/2"	0.2700	25	125
A 02587*	3/4" x 1/2" x 3/4"	0.2550	25	250
A 02624*	1" x 3/4" x 1"	0.4600	10	100
A 04053*	1" x 1/2" x 1"	0.4120	10	100

Tee • Baseboard

C x FPT x C

■ Cast Style #: T-301*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07750*	1/2" x 1/8" x 1/2"	0.1040	50	500
A 07757*	3/4" x 1/8" x 1"	0.2900	10	100
A 07751*	3/4" x 1/8" x 3/4"	0.1960	25	250
A 07754*	1" x 1/8" x 1"	0.3110	10	100
A 07775*	1-1/4" x 1/8" x 1-1/4"	0.5140	10	80

Tee • Drop

C x C x C

■ Cast Style #: T-310*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 02515*	1/2"	0.1500	25	250

Tee • Drop

C x C x FPT

■ Cast Style #: T-311*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01513*	1/2"	0.2400	25	250
A 01549*	3/4"	0.3770	10	100

Tee • Drop

FPT x FPT x C

■ Cast Style #: T-311*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01502*	1/2"	0.2200	25	150
A 04117*	3/4"	0.3700	10	100
A 03711*	3/4" x 3/4" x 1/2"	0.3100	10	200
A 04109*	3/4" x 1/2" x 3/4"	0.3100	10	100
A 09692*	3/4" x 1/2" x 1/2"	0.2570	10	200

Tee

C x FTG x C

■ Wrot Style #: WT-600F



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 04106	1/2"	0.0998	50	300
W 04131	3/4"	0.1940	25	150

* Cast Bronze

► WROT-CAST PRESSURE | SOLDER JOINT

Tee • Supply & Return

C x C x C

■ Cast Style #: T-300RB*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03623*	1/2"	0.1670	25	250

45° Wye

C x C x C

■ Cast Style #: T-317*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03726*	1/2"	0.1500	10	100
A 04119*	3/4"	0.3020	10	100
A 04216*	1"	0.5500	5	50

Union

C x MPT

■ Cast Style #: C-108*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11209*	3/8"	0.1970	10	100
A 11210*	1/2"	0.2770	25	125
A 11211*	3/4"	0.4270	10	100
A 11212*	1"	0.6780	10	100
A 11213*	1-1/4"	0.9540	5	50
A 11214*	1-1/2"	1.3470	1	50
A 11215*	2"	2.1710	1	25
A 11240*	2-1/2"	4.1250	1	10

Union

C x C

■ Wrot Style #: WC-407

■ Cast Style #: C-107*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 08001	1/4"	0.1160	10	200
W 08002	3/8"	0.1141	50	250
W 08003	1/2"	0.1583	25	250
W 08004	3/4"	0.3672	25	150
W 08005	1"	0.5162	10	100
A 11205*	1-1/4"	0.7640	1	25
A 11206*	1-1/2"	1.0420	1	25
A 11207*	2"	1.7700	1	25
A 11216*	2-1/2"	3.2500	1	20
A 11217*	3"	4.7500	1	10

Union

C x FPT

■ Cast Style #: C-109*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11421*	3/8"	0.1900	10	200
A 11422*	1/2"	0.2560	25	125
A 11423*	3/4"	0.3710	25	150
A 11424*	1"	0.6090	10	100
A 11425*	1-1/4"	0.9820	5	50
A 11426*	1-1/2"	1.2120	1	50
A 11427*	2"	1.8950	1	25

25 Ft. Roll Copper Tube Strap Perforated

C

■ Wrot Style #: WS-1101



PART #	DIAMETER (NOM)	WEIGHT	INNER
A 01211	1.6290	1	10

Copper Tube Strap • Two-Hole

C

■ Wrot Style #: WS-1100



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 01203	1/8"	0.0050	100	4000
A 01278	1/4"	0.0063	100	5600
A 01366	3/8"	0.0071	100	3400
A 02529	1/2"	0.0083	100	1500
A 01467	5/8"	0.0102	100	2000
A 02574	3/4"	0.0125	50	750
A 02614	1"	0.0233	50	750
A 02650	1-1/4"	0.0423	50	500
A 02675	1-1/2"	0.0512	50	500
A 02708	2"	0.0607	50	500

Hanger High Ear

C

■ Wrot Style #: W-124



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 03167	1/2"	0.0294	100	1000
A 03168	3/4"	0.0375	50	500
A 03171	1"	0.0425	25	250

* Cast Bronze



Streamline® Copper Solder-Joint Fittings for DWV plumbing applications are available in both wrot copper and cast bronze materials. Designed for use in non-pressurized sanitary systems, these fittings commonly feature shorter solder cup designs and more sweeping turns. They are available in a wide range of diameters, styles and connections to meet most all sanitary system applications.



** Applies to Wrot Fittings only

- For use in non-pressurized drain, waste and vent sanitary systems
- Constructed of high-grade copper or bronze materials
- Made to applicable ASME standards B16.23, B16.29
- Wrot fittings meet NSF 61G

Adapter • Soil Pipe

C x Spigot

- Wrot Style #: DW-733
- Cast Style #: D-733*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07122	2"	0.4267	5	100
W07133	3"	1.1150	5	40
A 07220*	4"	2.2290	1	15
A 07016*	1-1/4" x 2"	0.9320	1	50
W 07112	1-1/2" x 2"	0.6070	5	50
A 07322*	2" x 4"	2.3060	1	10
A 07169*	3" x 4"	2.7750	1	20

Adapter • Soil Pipe

C x No Hub

- Cast Style #: D-736N*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07486*	2"	0.3960	1	50
A 07488*	3"	0.7500	1	50
A 07485*	1-1/2" x 2"	0.4270	1	50

Adapter • Trap

FTG x SJ

- Wrot Style #: DW-724F
- Cast Style #: D-724F*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11563*	1-1/4"	0.2540	10	100
A 11564	1-1/2"	0.2800	1	10
A 11566	1-1/2" x 1-1/4"	0.2580	10	100

Adapter • Trap

C x SJ

- Wrot Style #: DW-724



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11355	1-1/4"	0.2200	1	25
A 11356	1-1/2"	0.3280	1	10
A 11383	1-1/2" x 1-1/4"	0.3958	1	10

* Cast Bronze

DWV | SOLDER JOINT

Adapter • Trap

FPT x SJ

■ Wrot Style #: DW-757



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11409	1-1/4"	0.3400	10	100
A 11410	1-1/2"	0.4000	10	100
A 11411	1-1/2" x 1-1/4"	0.4000	10	100

Adapter • Trap

MPT x SJ

■ Wrot Style #: DW-756



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11405	1-1/4"	0.4200	10	100
A 11406	1-1/2"	0.5200	1	10
A 11407	1/2" x 1-1/4"	0.5300	10	100

Adapter • Trap

C x O.D. Tube

■ Cast Style #: D-738*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07251*	1-1/4"	0.2100	25	250
A 07252*	1-1/2"	0.2390	10	100
A 07253*	1-1/2" x 1-1/4"	0.1950	10	100

Adapter • Trap

C x MPT

■ Cast Style #: D-732F*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07230*	1-1/4"	0.2200	25	150
A 07231*	1-1/2"	0.2540	25	150
A 07232*	2"	0.3290	10	100
A 07264*	3"	0.7700	1	50
A 07263*	1-1/4" x 1-1/2"	0.4380	10	100

Adapter • Trap (Flush)

C x MPT

■ Cast Style #: D-732C*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07645*	1-1/2"	0.1880	25	150
A 07646*	2"	0.2540	10	100

Adapter • Slip Joint

C x SJ THD

■ Cast Style #: D-729*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07050*	1-1/4"	0.0500	50	500
W 07051*	1-1/2"	0.0540	50	500
W 07052*	2"	0.0640	25	250

Adapter • Female

C x FPT

■ Wrot Style #: DW-753

■ Cast Style #: D-753*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07221	1-1/2"	0.2530	10	100
W 07222	2"	0.4080	10	100
A 07403*	3"	1.4500	1	25
A 07340*	4"	2.3100	1	20

Adapter • Male

C x MPT

■ Wrot Style #: DW-732

■ Cast Style #: D-732*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07012	1-1/4"	0.3527	25	250
A 07054	1-1/2"	0.4354	10	100
A 07094	2"	0.5150	10	100
A 07234*	3"	1.2940	1	25
A 07339*	4"	2.5880	1	20
W 07235	1-1/4" x 1-1/2"	0.3710	10	100
A 07233*	1-1/2" x 1-1/4"	0.3090	10	100

Adapter • Fitting

FTG x FPT

■ Wrot Style #: DW-754

■ Cast Style #: D-754*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07240	1-1/4"	0.1900	10	100
A 07436*	1-1/2"	0.3910	10	100
A 07481*	2"	0.5530	10	100
A 07482*	3"	1.4390	1	25

* Cast Bronze



Bushing • Extended

FTG x C

■ Wrot Style #: DW-742



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07350	1-1/2" x 1-1/4"	0.1127	25	250
W 07358	2" x 1-1/2"	0.2193	1	100
W 07359	2" x 1-1/4"	0.1782	1	100
W 07377	3" x 2"	0.4742	1	50
W 07378	3" x 1-1/2"	0.4448	1	50
W 07379	3" x 1-1/4"	0.5029	1	50
W 07387	4" x 3"	0.8873	1	25
W 07389	4" x 2"	1.0289	1	25

Bushing • Flush

FTG x C

■ Wrot Style #: DW-742F



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07334	2" x 1-1/2"	0.3700	10	100

Cleanout • w/Plug

FTG x C.O.

■ Cast Style #: D-730*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11350*	1-1/4"	0.4900	10	100
A 11351*	1-1/2"	0.6010	1	100
A 11352*	2"	0.8710	1	50
A 11353*	3"	2.3680	1	25
A 11354*	4"	3.9900	1	10

Cleanout • Flush w/Plug

FTG x C.O.

■ Cast Style #: D-730F*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11551*	1-1/4"	0.2000	10	100
A 11552*	1-1/2"	0.2900	15	150
A 11553*	2"	0.4160	10	100
A 11554*	3"	0.9560	5	50

Flange • Closet

C x Closet

■ Wrot Style #: DW-734



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07834	3" x 4"	0.8260	5	50
W 07844	4" x 4"	0.6666	5	40

Coupling

C x C

■ Wrot Style #: DW-741



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07055	1-1/4"	0.0854	25	150
W 07063	1-1/2"	0.1143	25	250
W 07072	2"	0.1306	1	100
W 07092	3"	0.4677	1	50
W 70107	4"	1.0337	1	25
W 07073	2" x 1-1/2"	0.1676	1	100
W 07074	2" x 1-1/4"	0.1770	1	100
W 07094	3" x 2"	0.5228	1	50
W 07095	3" x 1-1/2"	0.5184	1	50
W 07096	3" x 1-1/4"	0.6958	1	50
W70109	4" x 3"	0.9252	1	25
W70106	4" x 2"	1.3793	1	25

Coupling • Repair

C x C

■ Wrot Style #: DW-741NS



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07907	1-1/4"	0.0720	25	225
W 07908	1-1/2"	0.1146	25	250
W 07909	2"	0.1896	1	75
W 07911	3"	0.3427	1	50

11-1/4° Elbow

C x C

■ Cast Style #: D-704*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07063*	1-1/2"	0.2180	10	100
A 07103*	2"	0.4020	5	50

* Cast Bronze

▶ **DWV** | SOLDER JOINT

22-1/2° Elbow

C x C

- Wrot Style #: DW-703
- Cast Style #: D-703*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07011*	1-1/4"	0.1930	25	200
W 07060	1-1/2"	0.2650	10	100
A 07098	2"	0.4610	1	50
A 07157	3"	0.9860	1	25

45° Elbow

C x C

- Wrot Style #: DW-204
- Cast Style #: D-702*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07420	1-1/4"	0.1367	25	250
W 07421	1-1/2"	0.2030	25	125
W 07422	2"	0.3340	1	50
W 07423	3"	0.8421	1	25
A 07304*	4"	2.4700	1	10

45° Elbow • Street

FTG x C

- Wrot Style #: DW-205
- Cast Style #: D-702*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07430	1-1/4"	0.1675	25	250
W 07431	1-1/2"	0.1954	25	125
W 07432	2"	0.3240	0	50
W 07433	3"	0.8148	1	25
A 07124*	4"	2.8120	1	10

60° Elbow

C x C

- Wrot Style #: DW-701



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07064	1-1/2"	0.3520	25	125
W 07066	3"	0.9500	2	20

90° Elbow

C x C

- Wrot Style #: DW-200
- Cast Style #: D-700*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07400	1-1/4"	0.2548	25	125
W 07401	1-1/2"	0.2384	20	100
W 07403	2"	0.7052	1	50
W 07404	3"	1.6575	1	15
A 07215*	4"	3.7570	1	10
A 07056*	1-1/2" x 1-1/4"	0.4300	10	100
A 07210*	2" x 1-1/2"	0.6400	1	50

90° Elbow • Long Radius

C x C

- Wrot Style #: DW-700LT



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07209	1-1/2"	0.4120	5	100
A 07202	2"	0.6200	1	5

90° Elbow • Extra Long Radius

C x C

- Wrot Style #: DW-700XLT



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07451	1-1/2"	0.5534	10	50
W 07452	2"	1.1106	5	25
W 07453	3"	2.2801	2	10
W 07454	4"	5.0976	1	5

90° Elbow

C x MPT

- Cast Style #: D-722*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07326*	1-1/2"	0.6630	1	50

90° Elbow

C x FPT

- Cast Style #: D-705*



PART #	NOM	WEIGHT	INNER	MASTER
A 07059*	1-1/4"	0.7150	10	100
A 07097*	2"	1.1500	1	25

* Cast Bronze



90° Elbow • w/Low Heel Inlet

C x C x C

- Cast Style #: D-737*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07330*	3" x 3" x 2"	2.4250	1	10

90° Elbow • Street

FTG x C

- Wrot Style #: DW-203
- Cast Style #: D-700*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07410	1-1/4"	0.2631	25	125
W 07411	1-1/2"	0.3834	20	100
W 07412	2"	0.7000	1	50
W 07413	3"	1.7025	1	15
A 07119*	4"	3.8350	1	10

90° Elbow • Double

C x C x C

- Cast Style #: D-706*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07443*	1-1/2"	0.7270	1	50
A 07444*	2"	1.3080	1	25
A 07446*	2" x 1-1/2" x 1-1/2"	0.9670	1	50

Plug • Male

MPT

- Cast Style #: D-745*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07679*	3/4"	0.0760	100	1000
A 07437	1-1/2"	0.2200	25	250
A 07222*	2"	0.3300	10	100

Tee

C x C x C

- Wrot Style #: DW-707
- Cast Style #: D-707*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07500	1-1/4"	0.3683	20	100
W 07511	1-1/2"	0.5180	20	100
W 07522	2"	0.8510	5	25
W 07533	3"	2.0971	1	10
A 07208*	4"	4.9210	1	5

Tee • Reducing

C x C x C

- Wrot Style #: DW-707
- Cast Style #: D-707*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07510	1-1/2" x 1-1/2" x 1-1/4"	0.5089	10	100
W 07512	1-1/2" x 1-1/4" x 1-1/4"	0.5196	10	100
W 07521	2" x 2" x 1-1/2"	0.7530	5	50
W 07520	2" x 2" x 1-1/4"	0.6839	5	30
W 07524	2" x 1-1/2" x 1-1/2"	0.8741	5	50
W 07532	3" x 3" x 2"	1.6878	5	25
W 07531	3" x 3" x 1-1/2"	1.4542	5	25
W 07530	3" x 3" x 1-1/4"	0.8095	5	25
A 07308*	4" x 4" x 3"	3.4880	1	10
A 07309*	4" x 4" x 2"	2.7350	1	15

Tee

C x C x FPT

- Cast Style #: D-708*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07046*	1-1/2"	0.8780	1	50
A 07100*	2"	1.5700	1	25
A 07101*	2" x 2" x 1-1/2"	1.1670	1	25

Tee • Double (Cross)

C x C x C x C

- Cast Style #: D-718*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07065*	1-1/2"	0.7750	1	50
A 07105*	2"	1.3100	1	25
A 07066*	1-1/2" x 1-1/2" x 1-1/4" x 1-1/4"	0.6800	1	50
A 07106*	2" x 2" x 1-1/2" x 1-1/2"	0.9780	1	25
A 07171*	3" x 3" x 2" x 2"	2.3550	1	15
A 07320*	3" x 3" x 1-1/2" x 1-1/2"	1.5130	1	25

Tee • Test w/Plug

C x C x C.O

- Cast Style #: D-714*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11360*	1-1/2"	1.0000	1	50
A 11366*	2"	1.3540	1	25
A 11367*	3"	3.7770	1	10

* Cast Bronze

▶ DWV | SOLDER JOINT

Test Cap

C

■ Wrot Style #: DW-798T



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 07634	1/2"	0.0025	500	3000
W 07635	3/4"	0.0041	100	600
W 07636	1"	0.0059	100	600
W 07637	1-1/4"	0.0080	100	600
W 07638	1-1/2"	0.0107	100	600
W 07639	2"	0.0165	50	300
W 07640	3"	0.0428	50	300

T-Y • Long Turn

C x C x C

■ Cast Style #: D-715*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07082*	1-1/4"	0.9260	1	50
A 07041*	1-1/2"	0.8700	1	10
A 07083*	2"	1.8350	1	10
A 07158*	3"	3.6860	1	10
A 07273*	4"	9.0000	1	4
A 07084*	2" x 2" x 1-1/2"	1.0200	1	25
A 07159*	3" x 3" x 2"	2.7810	1	10

T-Y • Long Turn (Double)

C x C x C x C

■ Cast Style #: D-717*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07061*	1-1/2"	1.2500	1	25
A 07089*	2"	2.8310	1	10
A 07090*	2" x 2" x 1-1/2" x 1-1/2"	1.9630	1	25

Vent Increaser

C x Tube

■ Wrot Style #: DW-752



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
W 70112	3" x 4" x 18"	4.3694	1	6
W 70111	3" x 4" x 24"	5.9046	1	5

Drum Trap • Swivel

C x C x C.O.

■ Cast Style #: D-778*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 11395*	3" x 6" x 1-1/2"	2.8960	1	10

45° Wye

C x C x C

■ Cast Style #: D-719*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07005*	1-1/4"	0.6300	1	50
A 07037*	1-1/2"	0.8710	1	50
A 07077*	2"	1.2400	1	25
A 07150*	3"	2.7670	1	20
A 07200*	4"	5.5470	1	5
A 07078*	2" x 2" x 1-1/2"	1.1460	1	50
A 07079*	2" x 2" x 1-1/4"	1.0110	1	50
A 07249*	2" x 1-1/2" x 2"	1.1550	1	40
A 07318*	2" x 1-1/2" x 1-1/2"	0.8500	1	50
A 07152*	3" x 3" x 2"	2.0350	1	25
A 07153*	3" x 3" x 1-1/2"	1.6860	1	25
A 07315*	4" x 4" x 3"	3.9590	1	10
A 07203*	4" x 4" x 2"	2.9040	1	10

P-Trap • w/Cleanout

C x SJ

■ Cast Style #: D-763*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 15660*	1-1/2"	1.7980	1	20
A 15661*	2"	2.6550	1	25

45° Wye • Double

C x C x C x C

■ Cast Style #: D-720*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 07039*	1-1/2"	1.1150	1	50
A 07080*	2"	2.0000	1	20
A 07379*	3"	3.9500	1	10
A 07081*	2" x 2" x 1-1/2" x 1-1/2"	1.2620	1	25

* Cast Bronze

DWV | SOLDER JOINT

P-Trap

C x SJ

■ Cast Style #: D-762*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 15654*	1-1/2"	1.5000	1	25

P-Trap • w/Cleanout

C x C

■ Cast Style #: D-761*




PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 15656*	1-1/4"	1.2130	1	50
A 15657*	1-1/2"	1.5310	1	50
A 15658*	2"	2.2610	1	25

P-Trap • w/Union Joint

C x SJ

■ Cast Style #: D-740*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 15636*	1-1/2"	1.8550	1	25

Return Bend • w/Cleanout

C x C

■ Cast Style #: D-783*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 15692*	1-1/4"	0.8130	1	50
A 15695*	1-1/2"	0.9780	1	50
A 15698*	2"	1.3980	1	25

P-Trap

C x C

■ Cast Style #: D-760*



PART #	DIAMETER (NOM)	WEIGHT	INNER	MASTER
A 15651*	1-1/2"	1.4530	1	50
A 15652*	2"	2.1130	1	25

* Cast Bronze



Streamline® Copper Solder-Joint Fittings for supply/pressurized systems have been the leading brand of copper fittings for over 80 years. Available in both wrought copper, our product selection has grown to become the most extensive in the industry. We are the acknowledged experts at engineering and manufacturing precision solder-joint copper fittings. Quality, consistency and reliability have made the Streamline® brand trusted and specified all around the world.



- UL Recognized to 700 PSI (select diameters)
- Constructed of high-grade copper or bronze materials
- Made to applicable ASME standards B16.15, B16.18, B16.22, B16.24, B16.50, B1.20.1
- Wrot fittings meet NSF 61G

Adapter • Female

C x F

WC-402



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01204	1/4" x 1/2"	0.1000	100	300
W 01205	1/4" x 3/8"	0.0500	100	700
W 01206	1/4" x 1/4"	0.0400	100	900
W 01207	1/4" x 1/8"	0.0400	100	1,500
W 01214	3/8" x 3/8"	0.0600	50	750
W 01215	3/8" x 1/4"	0.0400	50	750
W 01216	3/8" x 1/8"	0.0300	50	750
W 01223	1/2" x 3/4"	0.1600	50	300
W 01224	1/2" x 1/2"	0.1000	50	500
W 01225	1/2" x 3/8"	0.0700	50	750
W 01226	1/2" x 1/4"	0.0600	50	750
A 01230	5/8" x 3/4"	0.1600	25	250
A 01231	5/8" x 1/2"	0.1000	50	500
W 01232	5/8" x 3/8"	0.0700	50	500
W 01233	5/8" x 1/4"	0.0600	50	500
W 01238	3/4" x 3/4"	0.1500	50	500
W 01239	3/4" x 1/2"	0.0900	50	500
W 01245	7/8" x 1"	0.2700	25	250
W 01246	7/8" x 3/4"	0.1400	25	250
W 01247	7/8" x 1/2"	0.1100	25	250
W 01261	1-1/8" x 1-1/4"	0.2800	10	100

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01263	1-1/8" x 1"	0.2500	25	250
W 01264	1-1/8" x 3/4"	0.2200	25	250
W 01265	1-1/8" x 1/2"	0.2500	20	200
W 01270	1-3/8" x 1-1/2"	0.5000	10	100
W 01271	1-3/8" x 1-1/4"	0.4500	10	100
W 01272	1-3/8" x 1"	0.3300	10	100
W 01278	1-5/8" x 2"	0.7400	-	60
W 01279	1-5/8" x 1-1/2"	0.5300	10	100
W 01280	1-5/8" x 1-1/4"	0.3900	5	50
W 01287	2-1/8" x 2"	0.5700	-	50
W 01288	2-1/8" x 1-1/2"	0.7400	5	50
W 01296	2-5/8" x 2-1/2"	1.2200	-	25
W 01297	3-1/8" x 3"	-	-	15

(CONTINUED NEXT COLUMN)

Adapter • Fitting

FTG x F

■ Wrot Style #: WC-405



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01514	3/8" x 3/8"	0.0600	50	750
W 01524	1/2" x 1/2"	0.1000	50	350
W 01525	1/2" x 3/8"	0.0500	50	750
W 01526	1/2" x 1/4"	0.0600	50	750
W 01531	5/8" x 1/2"	0.1100	50	450
W 01532	5/8" x 3/8"	0.0700	50	750
W 01546	7/8" x 3/4"	0.1700	25	250
W 01547	7/8" x 1/2"	0.1100	50	500
W 01563	1-1/8" x 1"	0.2400	25	250
W 01564	1-1/8" x 3/4"	0.1800	25	250
W 01571	1-3/8" x 1-1/4"	0.4000	10	100
W 01579	1-5/8" x 1-1/2"	0.4600	10	100
W 01587	2-1/8" x 2"	0.6500	-	50
W 01596	2-5/8" x 2-1/2"	1.2000	-	25

Adapter • Male

C x M

■ Wrot Style #: WC-401



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01105	1/4" x 3/8"	0.0600	50	750
W 01106	1/4" x 1/4"	0.0300	50	1,200
W 01107	1/4" x 1/8"	0.0200	50	2,400
W 01109	5/16" x 3/8"	0.0700	50	800
W 01110	5/16" x 1/4"	0.0300	50	1,200
W 01113	3/8" x 1/2"	0.0800	50	500
W 01114	3/8" x 3/8"	0.0600	50	750
W 01115	3/8" x 1/4"	0.0300	50	1,200
W 01116	3/8" x 1/8"	0.0200	50	2,000
W 01123	1/2" x 3/4"	0.1700	25	250
W 01124	1/2" x 1/2"	0.0900	50	500
W 01125	1/2" x 3/8"	0.0600	50	500
W 01126	1/2" x 1/4"	0.0500	50	750
W 01129	5/8" x 1"	0.3000	15	150
W 01130	5/8" x 3/4"	0.1700	25	250
W 01131	5/8" x 1/2"	0.0600	50	500
W 01132	5/8" x 3/8"	0.0700	50	500
W 01133	5/8" x 1/4"	0.0600	25	600
W 01138	3/4" x 3/4"	0.1400	25	250
W 01139	3/4" x 1/2"	0.1200	25	250
W 01145	7/8" x 1"	0.2900	10	100
W 01146	7/8" x 3/4"	0.1300	25	250
W 01147	7/8" x 1/2"	0.1200	25	250
W 01161	1-1/8" x 1-1/2"	0.4800	10	100
W 01162	1-1/8" x 11/4"	0.3900	10	100
W 01163	1-1/8" x 1"	0.2400	10	100
W 01164	1-1/8" x 3/4"	0.1700	10	100
W 01165	1-1/8" x 1/2"	0.1800	10	100

(CONTINUED NEXT COLUMN)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01170	1-3/8" x 1-1/2"	0.4800	10	100
W 01171	1-3/8" x 1-1/4"	0.4100	10	100
W 01172	1-3/8" x 1"	0.2400	10	100
W 01173	1-3/8" x 3/4"	0.2100	10	100
W 01178	1-5/8" x 2"	0.7800	-	50
W 01179	1-5/8" x 1-1/2"	0.5100	10	100
W 01180	1-5/8" x 1-1/4"	0.3700	10	100
W 01181	1-5/8" x 1"	0.3800	10	100
W 01187	2-1/8" x 2"	0.5700	5	50
W 01188	2-1/8" x 1-1/2"	0.6400	-	50
W 01189	2-1/8" x 1-1/4"	0.5700	-	50
W 01196	2-5/8" x 2-1/2"	1.2600	-	20
W 01197	2-5/8" x 2"	0.9800	-	20
W 01198	2-5/8" x 1-1/2"	0.9800	-	22
W 01199	3-1/8" x 3"	1.7000	-	20
W 01150	4-1/8" x 4"	3.7100	-	16

Adapter • Fitting

FTG x M

■ Wrot Style #: WC-404



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01425	1/2" x 3/8"	0.0500	50	750
W 01431	5/8" x 1/2"	0.0900	50	500
W 01432	5/8" x 3/8"	0.0600	50	750
W 01446	7/8" x 3/4"	0.1500	50	500
W 01447	7/8" x 1/2"	0.1300	50	500
W 01463	1-1/8" x 1"	0.2300	25	250
W 01464	1-1/8" x 3/4"	0.1900	25	250
W 01471	1-3/8" x 1-1/4"	0.4100	10	100
W 01479	1-5/8" x 1-1/2"	0.4900	10	100
W 01487	21/8" x 2"	0.7600	-	50
W 01496	2-5/8" x 2-1/2"	1.9500	-	20

Bushing • Flush

FTG x C

■ Wrot Style #: WC-106



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01706	3/8" x 1/4"	0.0100	100	4,000
W 01712	1/2" x 3/8"	0.0100	100	4,000
W 01714	1/2" x 1/4"	0.0200	100	2,400
W 01715	5/8" x 1/2"	0.0200	100	1,500
W 01717	5/8" x 3/8"	0.0400	100	1,500
W 01720	3/4" x 5/8"	0.0300	50	750
W 01721	3/4" x 1/2"	0.0600	50	750
W 01722	3/4" x 3/8"	0.0800	50	750
W 01725	7/8" x 3/4"	0.0400	50	500
W 01726	7/8" x 5/8"	0.0700	50	500
W 01727	7/8" x 1/2"	0.1100	50	500
W 01737	1-1/8" x 7/8"	0.1200	50	500
W 01738	1-1/8" x 3/4"	0.1800	50	500

(CONTINUED NEXT PAGE)

▶ ACR | SOLDER JOINT

All diameters are O.D.

Bushing • Flush (Continued from previous page)

FTG x C

■ Wrot Style #: WC-106



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01739	1-1/8" x 5/8"	0.2200	25	250
W 01743	1-3/8" x 1-1/8"	0.1600	10	200
W 01745	1-3/8" x 7/8"	0.3000	10	200
W 01750	1-5/8" x 1-3/8"	0.2200	10	100
W 01751	1-5/8" x 1-1/8"	0.4100	10	100
W 01758	2-1/8" x 1-5/8"	0.6800	10	100
W 01759	2-1/8" x 1-3/8"	0.9400	5	50
W 01767	2-5/8" x 2-1/8"	0.9200	-	50

Bushing • Flush

FTG x F

■ Wrot Style #: WC-417
Brass



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
A 07812	5/8" x 1/8"	0.0400	100	1,600
A 07813	5/8" x 1/4"	0.0200	50	1,200
A 07814	7/8" x 3/8"	0.0800	50	450
A 07815	1-1/8" x 1/2"	0.1700	50	300
A 07816	1-3/8" x 3/4"	0.2500	10	160
A 07817	1-5/8" x 1"	0.3400	10	90
A 07819	2-1/8" x 1-1/2"	0.4800	10	90

Cap

C

■ Wrot Style #: WC-415



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 07002 †	1/4"	0.0000	50	2,000
W 07004 †	3/8"	0.0100	50	2,000
W 07006 †	1/2"	0.0100	50	1,000
W 07007 †	5/8"	0.0200	100	1,000
W 07008 †	3/4"	0.0300	50	2,000
W 07009 †	7/8"	0.0400	50	500
W 07011 †	1-1/8"	0.0800	50	500
W 07012 †	1-3/8"	0.1100	25	250
W 07013 †	1-5/8"	0.1800	25	250
W 07014 †	2-1/8"	0.3000	-	100
W 07015 †	2-5/8"	0.4800	-	50
W 07016	3-1/8"	0.7300	-	50
W 07017	3-5/8"	1.1500	-	25
W 07018	4-1/8"	1.5000	-	20

† UL Recognized to 700 PSI (select diameters)

Coupling • No Stop

C x C

■ Wrot Style #: WC-400NS



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01900 †	1/4"	0.0000	100	4,000
W 01901 †	3/8"	0.0100	50	2,000
W 01902 †	1/2"	0.0100	50	1,700
W 01903 †	5/8"	0.0300	100	1,000
W 01904 †	3/4"	0.0400	25	375
W 01905 †	7/8"	0.0600	50	500
W 01906 †	1-1/8"	0.1100	25	250
W 01907 †	1-3/8"	0.1500	25	250
W 01908 †	1-5/8"	0.2500	10	100
W 01909 †	2-1/8"	0.4000	-	75
W 01910 †	2-5/8"	0.6600	-	50
W 01911	3-1/8"	1.0300	-	25
W 01913	4-1/8"	2.1500	-	15

Coupling • Rolled Stop

C x C

■ Wrot Style #: WC-400



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01000 †	1/8"	0.0000	100	4,000
W 01001 †	3/16"	0.000	100	4,000
W 01003 †	1/4"	0.000	100	4,000
W 01009 †	3/8"	0.0100	50	2,000
W 01017 †	1/2"	0.0100	50	1,700
W 01022 †	5/8"	0.0300	100	1,000
W 01028 †	3/4"	0.0500	50	500
W 01034 †	7/8"	0.0600	50	500
W 01040 †	1"	0.0900	25	250
W 01047 †	1-1/8"	0.1100	25	250
W 01055 †	1-3/8"	0.1500	25	250
W 01062 †	1-1/2"	0.2200	-	150
W 01063 †	1-5/8"	0.2100	10	100
W 01072 †	2-1/8"	0.4000	-	75
W 01082 †	2-5/8"	0.6600	-	50
W 01092	3-1/8"	1.0300	-	25
W 01100	3-5/8"	1.1800	-	20
W 10107	4-1/8"	2.1100	-	15

▶ ACR | SOLDER JOINT

All diameters are O.D.

Coupling • Staked Stop

C x C

■ Wrot Style #: WC-400S



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 10141 †	1/4"	0.000	100	3,400
W 10142 †	5/16"	0.0100	100	5,600
W 10143 †	3/8"	0.0100	50	2,000
W 10144 †	1/2"	0.0100	50	1,700
W 10145 †	5/8"	0.0300	100	1,000
W 10157 †	3/4"	0.0400	25	500
W 10146 †	7/8"	0.0600	50	500
W 10147 †	1-1/8"	0.1100	25	250
W 10148 †	1-3/8"	0.1500	25	250
W 10149 †	1-5/8"	0.2200	10	100
W 10150 †	2-1/8"	0.4100	-	75
W 10151 †	2-5/8"	0.6600	-	50
W 10152	3-1/8"	1.0200	-	25
W 10153	3-5/8"	1.0300	-	20
W 10154	4-1/8"	2.1500	-	15
W 01055	5-1/8"	3.3400	-	8
W 10156	6-1/8"	4.6100	-	3
W 10130	8-1/8"	14.1300	-	1

Coupling • Reducing

C x C

■ Wrot Style #: WC-400R



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01004 †	1/4" x 3/16"	0.0100	50	2,000
W 01005 †	1/4" x 1/8"	0.0000	50	2,000
W 01010 †	3/8" x 5/16"	0.0100	50	1,700
W 01011 †	3/8" x 1/4"	0.0100	50	2,000
W 01019 †	1/2" x 3/8"	0.0100	50	1,700
W 01021 †	1/2" x 1/4"	0.0200	50	1,200
W 01023 †	5/8" x 1/2"	0.0300	100	1,000
W 01025 †	5/8" x 3/8"	0.0300	100	1,000
W 01027 †	5/8" x 1/4"	0.0300	100	1,000
W 01029 †	3/4" x 5/8"	0.0500	100	600
W 01030 †	3/4" x 1/2"	0.0400	100	600
W 01031 †	3/4" x 3/8"	0.0400	100	600
W 01035 †	7/8" x 3/4"	0.0600	100	1,000
W 01036 †	7/8" x 5/8"	0.0800	50	500
W 01037 †	7/8" x 1/2"	0.0600	50	500
W 01038 †	7/8" x 3/8"	0.0600	50	500
W 01049 †	1-1/8" x 7/8"	0.1300	25	250
W 01050 †	1-1/8" x 3/4"	0.1100	25	250
W 01051 †	1-1/8" x 5/8"	0.1100	25	250
W 01052 †	1-1/8" x 1/2"	0.1100	25	250
W 01056 †	1-3/8" x 1-1/8"	0.2000	10	100
W 01058 †	1-3/8" x 7/8"	0.1700	10	100
W 01060 †	1-3/8" x 5/8"	0.1700	10	100
W 01064 †	1-5/8" x 1-3/8"	0.2300	10	100

(CONTINUED NEXT COLUMN)

† UL Recognized to 700 PSI (select diameters)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01065 †	1-5/8" x 1-1/8"	0.2300	10	100
W 01067 †	1-5/8" x 7/8"	0.2400	10	100
W 01069 †	1-5/8" x 5/8"	0.2200	10	100
W 01073 †	2-1/8" x 1-5/8"	0.4300	-	100
W 01074 †	2-1/8" x 1-3/8"	0.4300	-	100
W 01075 †	2-1/8" x 1-1/8"	0.4600	-	100
W 01077 †	2-1/8" x 7/8"	0.4000	-	100
W 01079 †	2-1/8" x 5/8"	0.4100	-	75
W 01083 †	2-5/8" x 2-1/8"	0.6500	-	50
W 01084 †	2-5/8" x 1-5/8"	0.7500	-	50
W 01085 †	2-5/8" x 1-3/8"	0.7000	-	50
W 01086 †	2-5/8" x 1-1/8"	0.7100	-	50
W 01093	3-1/8" x 2-5/8"	1.0600	-	25
W 01094	3-1/8" x 2-1/8"	1.1000	-	25
W 01095	3-1/8" x 1-5/8"	1.0100	-	25
W 10101	3-5/8" x 3-1/8"	1.2200	-	25
W 10108	4-1/8" x 3-5/8"	1.8700	-	20
W 10109	4-1/8" x 3-1/8"	0.7600	-	20
W 10110	4-1/8" x 2-5/8"	1.8800	-	15
W 10111	4-1/8" x 2-1/8"	1.9700	-	20

45° Elbow

C x C

■ Wrot Style #: WE-504



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 03005 †	1/4"	0.0100	50	2,000
W 03012 †	3/8"	0.0100	50	2,800
W 03021 †	1/2"	0.0300	50	850
W 03026 †	5/8"	0.0400	50	500
W 03030 †	3/4"	0.0600	50	500
W 03034 †	7/8"	0.0900	25	250
W 03044 †	1-1/8"	0.1600	25	250
W 03050 †	1-3/8"	0.2500	10	100
W 03055 †	1-5/8"	0.3600	10	100
W 03059 †	2-1/8"	0.6000	10	50
W 03063 †	2-5/8"	1.0000	5	25
W 03067	3-1/8"	1.5300	2	20
W 03070	3-5/8"	2.8100	2	10
W 03073	4-1/8"	3.1400	-	5

45° Elbow • Street

FTG x C

■ Wrot Style #: WE-505



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 03312 †	3/8"	0.0100	100	3,400
W 03321 †	1/2"	0.0300	100	1,500
W 03326 †	5/8"	0.0300	50	500
W 03330 †	3/4"	0.0600	50	500
W 03334 †	7/8"	0.0900	25	250

(CONTINUED NEXT COLUMN)

▶ **ACR** | SOLDER JOINT

All diameters are O.D.

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 03344 †	1-1/8"	0.1500	25	250
W 03350 †	1-3/8"	0.2400	10	100
W 03355 †	1-5/8"	0.3300	10	100
W 03359 †	2-1/8"	0.6100	5	50
W 03363 †	2-5/8"	1.0500	2	20
W 03368	3-1/8"	1.5200	2	10
W 03373	4-1/8"	3.1100	-	5

45° Elbow

FTG x FTG

■ Wrot Style #: WE-507



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 03621 †	1/2"	0.0200	50	1,700
W 03626 †	5/8"	0.0400	50	750
W 03634 †	7/8"	0.1000	25	250
W 03644 †	1-1/8"	0.1800	10	100

90° Elbow • Short Radius

C x C

■ Wrot Style #: WE-500



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02003 †	1/4"	0.0100	50	2,000
W 02009 †	3/8"	0.0200	50	1,700
W 02017 †	1/2"	0.0300	50	1,000
W 02022 †	5/8"	0.0500	100	1,000
W 02028 †	3/4"	0.0800	50	500
W 02034 †	7/8"	0.1100	50	500
W 02040 †	1"	0.2200	20	200
W 02047 †	1-1/8"	0.2400	25	250
W 02084 †	1-3/8"	0.3000	10	100
W 02085 †	1-5/8"	0.4200	10	100
W 02086 †	2-1/8"	0.7600	10	50
W 02087 †	2-5/8"	1.1900	5	25
W 02088	3-1/8"	1.8800	5	25
W 02089	3-5/8"	2.7700	2	10
W 02090	4-1/8"	4.0000	2	10
W 02097	6-1/8"	13.7300	-	1
W 02011 †	3/8" x 1/4"	0.0200	50	750
W 02019 †	1/2" x 3/8"	0.0300	50	750
W 02023 †	5/8" x 1/2"	0.0500	50	500
W 02025 †	5/8" x 3/8"	0.0500	50	500
W 02029 †	3/4" x 5/8"	0.0600	50	500
W 02030 †	3/4" x 1/2"	0.0700	50	500
W 02035 †	7/8" x 3/4"	0.1100	50	500
W 02036 †	7/8" x 5/8"	0.1100	50	500
W 02037 †	7/8" x 1/2"	0.1100	50	500
W 02049 †	1-1/8" x 7/8"	0.1700	25	250
W 02050 †	1-1/8" x 3/4"	0.1600	25	250
W 02051 †	1-1/8" x 5/8"	0.1800	25	250

(CONTINUED NEXT COLUMN)

† UL Recognized to 700 PSI (select diameters)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02052 †	1-1/8" x 1/2"	0.2000	25	150
W 02056 †	1-3/8" x 1-1/8"	0.3200	20	200
W 02077 †	1-5/8" x 1-3/8"	0.3300	5	100
W 02078 †	2-1/8" x 1-5/8"	0.6000	5	50

90° Elbow • Long Radius

C x C

■ Wrot Style #: WE-500L



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02701 †	3/16"	0.0000	50	1,000
W 02715 †	1/4"	0.0100	50	2,000
W 02710 †	5/16"	0.0100	50	1,700
W 02716 †	3/8"	0.0200	50	1,700
W 02717 †	1/2"	0.0400	50	500
W 02722 †	5/8"	0.0600	50	500
W 02728 †	3/4"	0.0900	50	500
W 02734 †	7/8"	0.1300	25	250
W 02747 †	1-1/8"	0.2700	10	100
W 02055 †	1-3/8"	0.4200	10	100
W 02063 †	1-5/8"	0.6000	5	50
W 02072 †	2-1/8"	1.2300	5	25
W 02082 †	2-5/8"	2.0500	5	25
W 02092	3-1/8"	3.1300	2	10
W 02093	3-5/8"	5.5300	1	5
W 02095	4-1/8"	7.9800	-	1
W 02711 †	3/8" x 1/4"	0.0100	50	3,000
W 02719 †	1/2" x 3/8"	0.0300	50	2,000
W 02723 †	5/8" x 1/2"	0.0400	50	1,000
W 02725 †	5/8" x 3/8"	0.0300	50	1,000
W 02735 †	7/8" x 3/4"	0.1200	25	250
W 02736 †	7/8" x 5/8"	0.0900	50	500
W 02749 †	1-1/8" x 7/8"	0.1700	10	100
W 02756 †	1-3/8" x 1-1/8"	0.3100	10	100
W 02058 †	1-3/8" x 7/8"	0.3700	10	100
W 02060 †	1-3/8" x 5/8"	0.3700	10	100
W 02064 †	1-5/8" x 1-3/8"	0.4400	5	50
W 02065 †	1-5/8" x 1-1/8"	0.5200	5	50
W 02067 †	1-5/8" x 7/8"	0.5100	5	50
W 02073 †	2-1/8" x 1-5/8"	0.9800	2	20
W 02074 †	2-1/8" x 1-3/8"	0.9400	2	20
W 02075 †	2-1/8" x 1-1/8"	0.9700	2	20
W 02083 †	2-5/8" x 2-1/8"	1.5300	2	20

▶ ACR | SOLDER JOINT

All diameters are O.D.

90° Elbow Short Radius • Street

FTG x C

■ Wrot Style #: WE-503



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02305 †	1/4"	0.0100	50	2,000
W 02312 †	3/8"	0.0200	50	1,700
W 02321 †	1/2"	0.0300	50	750
W 02326 †	5/8"	0.0500	50	500
W 02330 †	3/4"	0.0900	25	250
W 02334 †	7/8"	0.1100	25	250
W 02344 †	1-1/8"	0.2200	25	250
W 02384 †	1-3/8"	0.2900	25	125
W 02385 †	1-5/8"	0.4400	10	100
W 02386 †	2-1/8"	0.7700	10	50
W 02387 †	2-5/8"	1.2300	5	25
W 02388	3-1/8"	1.9400	2	20
W 02389	3-5/8"	2.7800	1	10
W 02390	4-1/8"	4.0300	2	10

90° Elbow Long Radius • Street

FTG x C

■ Wrot Style #: WE-503L



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02809 †	3/8"	0.0200	50	1,700
W 02817 †	1/2"	0.0400	50	500
W 02822 †	5/8"	0.0600	60	500
W 02828 †	3/4"	0.0900	25	250
W 02834 †	7/8"	0.1300	25	250
W 02847 †	1-1/8"	0.2600	10	100
W 02350 †	1-3/8"	0.4200	10	100
W 02355 †	1-5/8"	0.6000	5	50
W 02359 †	2-1/8"	1.2300	5	25
W 02363 †	2-5/8"	2.0800	5	25
W 02368	3-1/8"	3.1200	2	10
W 02393	3-5/8"	5.5200	1	5
W 02395	4-1/8"	8.0700	-	1

90° Elbow • Short Radius

FTG x FTG

■ Wrot Style #: WE-506



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02612 †	3/8"	0.0200	50	2,800
W 02621 †	1/2"	0.0300	50	750
W 02626 †	5/8"	0.0500	50	500
W 02634 †	7/8"	0.1100	25	250
W 02644 †	1-1/8"	0.2200	10	100
W 02684 †	1-3/8"	0.3100	10	100

(CONTINUED NEXT COLUMN)

† UL Recognized to 700 PSI (select diameters)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02685 †	1-5/8"	0.4300	5	50
W 02686 †	2-1/8"	0.7900	1	10
W 02687 †	2-5/8"	1.2500	1	10
W 02688	3-1/8"	2.0800	1	10
W 02689	3-5/8"	2.6300	1	10
W 02690	4-1/8"	3.8800	1	5

90° Elbow • Long Radius

FTG x FTG

■ Wrot Style #: WE-506L



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02650 †	1-3/8"	0.4400	5	50
W 02655 †	1-5/8"	0.6300	5	50
W 02659 †	2-1/8"	1.2300	1	10

90° Elbow • Forged Brass

C x F

■ Wrot Style #: WE-502



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02206	1/4" x 1/4"	0.1000	50	450
W 02207	1/4" x 1/8"	0.0700	50	800
W 02214	3/8" x 3/8"	0.1000	50	600
W 02216	3/8" x 1/8"	0.0800	50	700
W 02225	3/8" x 3/8"	0.1100	25	300
W 02226	3/8" x 1/4"	0.1000	25	350

90° Elbow • Forged Brass

C x M

■ Wrot Style #: WE-501



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 02106	1/4" x 1/4"	0.0700	50	700
W 02107	1/4" x 1/8"	0.0400	50	1,200
W 02115	1/4" x 1/4"	0.0600	50	800
W 02216	1/4" x 1/8"	0.0600	50	800
W 02125	1/4" x 3/8"	0.1000	25	400
W 02132	1/4" x 3/8"	0.1600	10	240

▶ **ACR** | SOLDER JOINT

All diameters are O.D.

90° Fitting Reducer

FTG x C

■ Wrot Style #: WC-403



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 01302 †	1/4" x 1/8"	0.0000	50	2,000
W 01306 †	3/8" x 1/4"	0.0100	50	2,000
W 01312 †	1/2" x 3/8"	0.0200	50	2,000
W 01314 †	1/2" x 1/4"	0.0100	50	2,800
W 01315 †	5/8" x 1/2"	0.0300	50	750
W 01317 †	5/8" x 3/8"	0.0200	50	1,700
W 01320 †	3/4" x 5/8"	0.0400	100	1,000
W 01321 †	3/4" x 1/2"	0.0400	100	900
W 01322 †	3/4" x 3/8"	0.0400	100	900
W 01325 †	7/8" x 3/4"	0.0600	50	500
W 01326 †	7/8" x 5/8"	0.0600	50	500
W 01327 †	7/8" x 1/2"	0.0600	50	500
W 01337 †	1-1/8" x 7/8"	0.1100	25	250
W 01338 †	1-1/8" x 3/4"	0.1000	25	250
W 01339 †	1-1/8" x 5/8"	0.1000	25	250
W 01340 †	1-1/8" x 1/2"	0.1000	20	200
W 01343 †	1-3/8" x 1-1/8"	0.1700	10	100
W 01345 †	1-3/8" x 7/8"	0.1700	10	100
W 01347 †	1-3/8" x 5/8"	0.1600	10	100
W 01350 †	1-5/8" x 1-3/8"	0.2300	10	100
W 01351 †	1-5/8" x 1-1/8"	0.2400	10	100
W 01353 †	1-5/8" x 7/8"	0.2300	10	100
W 01355 †	1-5/8" x 5/8"	0.2200	10	100
W 01358 †	2-1/8" x 1-5/8"	0.4400	-	100
W 01359 †	2-1/8" x 1-3/8"	0.4300	-	100
W 01360 †	2-1/8" x 1-1/8"	0.4500	-	100
W 01362 †	2-1/8" x 7/8"	0.4300	-	100
W 01364 †	2-1/8" x 5/8"	0.4200	-	100
W 01367 †	2-5/8" x 2-1/8"	0.6200	-	50
W 01368 †	2-5/8" x 1-5/8"	0.5700	-	50
W 01369 †	2-5/8" x 1-3/8"	0.6200	-	50
W 01370 †	2-5/8" x 1-1/8"	0.6300	-	50
W 01376	3-1/8" x 2-5/8"	1.0000	-	25
W 01377	3-1/8" x 2-1/8"	0.8900	-	25
W 01378	3-1/8" x 1-5/8"	0.9200	-	50
W 01379	3-1/8" x 1-3/8"	1.0100	-	50
W 01381	3-5/8" x 3-1/8"	1.2800	-	20
W 01382	3-5/8" x 2-5/8"	1.3700	-	20
W 01383	3-5/8" x 2-1/8"	1.4700	-	20
W 01386	4-1/8" x 3-5/8"	1.7400	-	20
W 01387	4-1/8" x 3-1/8"	1.7700	-	15
W 01388	4-1/8" x 2-5/8"	1.8300	-	15
W 01389	4-1/8" x 2-1/8"	1.8600	-	15

† UL Recognized to 700 PSI (select diameters)

Hanger High Ear

C

■ Wrot Style #: W-124



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
A 03167	5/8"	0.0300	100	10,000
A 03168	7/8"	0.0400	25	500
A 03171	1-1/8"	0.0400	25	250

Plug • Fitting

FTG

■ Wrot Style #: WC-416

Brass



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
A 01402	1/4"	0.0100	50	500
A 01422	3/8"	0.0100	100	4,000
A 01392	1/2"	0.0200	50	2,000
A 01504	5/8"	0.0300	50	1,200
A 02273	3/4"	0.0500	10	560
A 01529	7/8"	0.0700	50	600
A 01556	1-1/8"	0.1200	25	375
A 01590	1-3/8"	0.2000	15	180
A 01628	1-5/8"	0.2800	10	120

P-Trap • Pressure

C x C

■ Wrot Style #: WE-554P



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 60999	5/8"	0.3800	10	50
W 61008	3/4"	0.5100	10	50
W 61000	7/8"	0.6300	5	25
W 61001	1-1/8"	0.8700	3	15
W 61002	1-3/8"	1.1600	4	20
W 61003	1-5/8"	2.2800	4	4
W 61009	2-1/8"	3.8700	-	3

P-Trap • Suction Line Long Radius

C x C

■ Wrot Style #: WE-554PL



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 60998	5/8"	0.1500	30	150
W 60997	3/4"	0.3000	20	100
W 60996	7/8"	0.3600	15	75
W 60995	1-1/8"	0.5800	15	75
W 60994	1-3/8"	0.9700	5	25
W 60993	1-5/8"	1.8400	-	5
W 60992	2-1/8"	3.6100	-	3

Return Bend

C x C

■ Wrot Style #: WE-512




PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 06025 †	3/8" x 4-1/2"	0.1000	25	150
W 06020 †	3/8" x 1-1/2"	0.0200	25	850
W 06048 †	1/2" x 6"	0.2100	-	100
W 06045 †	1/2" x 4"	0.1400	-	200
W 06041 †	1/2" x 3"	0.1100	25	250
W 06036 †	1/2" x 2"	0.0600	50	300
W 06035 †	1/2" x 12-9/32"	0.0800	50	300
W 06032 †	1/2" x 1-1/2"	0.0600	50	500
W 06069 †	5/8" x 6"	0.3000	5	30
W 06062 †	5/8" x 3-3/8"	0.1800	10	100
W 06060 †	5/8" x 3"	0.1600	25	150
W 06058 †	5/8" x 2-1/2"	0.1400	25	250
W 06056 †	5/8" x 2-1/4"	0.1300	25	250
W 06053 †	5/8" x 1-7/8"	0.1100	25	250
W 06051 †	5/8" x 19/16"	0.1000	25	250
W 06084 †	3/4" x 4"	0.2500	-	120
W 06081 †	3/4" x 3-3/8"	0.2400	10	90
W 06077 †	3/4" x 2-1/2"	0.1700	10	100
W 06074 †	3/4" x 2-1/8"	0.1600	10	100
W 06073 †	3/4" x 2"	0.1500	10	100
W 06099 †	7/8" x 12"	0.8800	-	15
W 06095 †	7/8" x 3-3/8"	0.2900	10	100
W 06092 †	7/8" x 2-1/2"	0.2300	10	100
W 60111 †	1-1/8" x 3-1/4"	0.4900	5	50
W 60110 †	1-1/8" x 3"	0.4700	5	50
W 60121 †	1-3/8" x 3-3/4"	0.6500	5	50
W 60131 †	1-5/8" x 4-1/2"	1.0000	5	25
W 60140 †	2-1/8" x 5-1/2"	1.9200	5	25

Tee

C X C X C

■ Wrot Style #: WT-600



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 40302 †	3/16"	0.0100	50	1,700
W 40306 †	1/4"	0.0100	100	2,400
W 40313 †	5/16"	0.0100	50	1,700
W 04000 †	3/8"	0.0200	50	1,700
W 04001 †	1/2"	0.0400	50	500
W 04006 †	5/8"	0.0700	50	500
W 04017 †	3/4"	0.1200	25	250
W 04031 †	7/8"	0.1600	25	250
W 04048 †	1-1/8"	0.2900	10	100
W 04068 †	1-3/8"	0.4200	5	50
W 04084 †	1-5/8"	0.6000	5	50
W 40102 †	2-1/8"	1.1400	5	25
W 40123 †	2-5/8"	1.7200	2	20
W 40152	3-1/8"	2.7700	2	10
W 40190	3-5/8"	5.6600	1	5

(CONTINUED NEXT COLUMN)

† UL Recognized to 700 PSI (select diameters)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 40200	4-1/8"	5.9900	1	5
W 40400	5-1/8"	12.3800	-	1
W 40500	6-1/8"	20.8500	-	1

Tee • Reducing

C X C X C

■ Wrot Style #: WT-600



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 40368 †	1/4" x 1/4" x 3/8"	0.0300	50	750
W 40308 †	1/4" x 1/4" x 3/16"	0.0100	50	2,000
W 40334 †	5/16" x 5/16" x 3/8"	0.0300	50	750
W 04016 †	3/8" x 3/8" x 5/8"	0.0800	50	500
W 04005 †	3/8" x 3/8" x 1/2"	0.0400	50	500
W 40324 †	3/8" x 3/8" x 1/4"	0.0200	50	1,700
W 40330 †	3/8" x 1/4" x 3/8"	0.0200	50	500
W 40332 †	3/8" x 1/4" x 1/4"	0.0200	50	1,700
W 04015 †	1/2" x 1/2" x 5/8"	0.0900	50	500
W 04002 †	1/2" x 1/2" x 3/8"	0.0400	50	500
W 40350 †	1/2" x 1/2" x 1/4"	0.0400	50	500
W 04003 †	1/2" x 3/8" x 1/2"	0.0500	50	500
W 04004 †	1/2" x 3/8" x 3/8"	0.0400	50	500
W 40358 †	1/2" x 3/8" x 1/4"	0.0400	50	750
W 40363 †	1/2" x 1/4" x 1/2"	0.0500	50	750
W 40364 †	1/2" x 1/4" x 3/8"	0.0400	50	750
W 40366 †	1/2" x 1/4" x 1/4"	0.0500	50	450
W 04067 †	5/8" x 5/8" x 1-1/8"	0.3500	10	100
W 04047 †	5/8" x 5/8" x 7/8"	0.1100	25	250
W 04029 †	5/8" x 5/8" x 3/4"	0.1000	25	250
W 04007 †	5/8" x 5/8" x 1/2"	0.0800	50	500
W 04008 †	5/8" x 5/8" x 3/8"	0.0600	50	500
W 04014 †	5/8" x 5/8" x 1/4"	0.0800	50	500
W 04009 †	5/8" x 1/2" x 5/8"	0.0900	50	500
W 04010 †	5/8" x 1/2" x 1/2"	0.0800	50	500
W 04011 †	5/8" x 1/2" x 3/8"	0.0800	50	500
W 04012 †	5/8" x 3/8" x 5/8"	0.0900	50	500
W 40367 †	5/8" x 3/8" x 1/2"	0.0800	50	500
W 04013 †	5/8" x 3/8" x 3/8"	0.0900	50	500
W 04046 †	3/4" x 3/4" x 7/8"	0.1500	25	250
W 04018 †	3/4" x 3/4" x 5/8"	0.1000	25	250
W 04019 †	3/4" x 3/4" x 1/2"	0.1000	25	250
W 04020 †	3/4" x 3/4" x 3/8"	0.1000	25	250
W 04021 †	3/4" x 5/8" x 3/4"	0.1300	25	225
W 04022 †	3/4" x 5/8" x 5/8"	0.1100	25	250
W 04023 †	3/4" x 5/8" x 1/2"	0.1100	25	225
W 04025 †	3/4" x 1/2" x 3/4"	0.1500	25	250
W 04026 †	3/4" x 1/2" x 5/8"	0.1400	25	225
W 04027 †	3/4" x 1/2" x 1/2"	0.1100	25	250
W 04065 †	7/8" x 7/8" x 1-1/8"	0.2200	10	100
W 04032 †	7/8" x 7/8" x 3/4"	0.1700	25	250
W 04033 †	7/8" x 7/8" x 5/8"	0.1200	25	250
W 04034 †	7/8" x 7/8" x 1/2"	0.1100	25	250
W 04035 †	7/8" x 7/8" x 3/8"	0.1100	25	250
W 04036 †	7/8" x 3/4" x 7/8"	0.1900	25	250
W 04037 †	7/8" x 3/4" x 3/4"	0.1700	25	250
W 04041 †	7/8" x 5/8" x 7/8"	0.1600	25	250
W 04042 †	7/8" x 5/8" x 3/4"	0.1700	25	150
W 04043 †	7/8" x 5/8" x 5/8"	0.1300	25	250

(CONTINUED NEXT COLUMN)

ACR | SOLDER JOINT

All diameters are O.D.

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 04044 †	7/8" x 5/8" x 1/2"	0.1200	25	250
W 04045 †	7/8" x 5/8" x 3/8"	0.1500	25	225
W 40230 †	7/8" x 1/2" x 7/8"	0.1900	25	250
W 40231 †	7/8" x 1/2" x 5/8"	0.1700	25	250
W 40232 †	7/8" x 1/2" x 1/2"	0.1200	25	250
W 40101 †	1-1/8" x 1-1/8" x 1-5/8"	0.4700	5	50
W 04082 †	1-1/8" x 1-1/8" x 1-3/8"	0.3100	5	50
W 04049 †	1-1/8" x 1-1/8" x 7/8"	0.2400	10	100
W 04050 †	1-1/8" x 1-1/8" x 3/4"	0.2700	10	100
W 04051 †	1-1/8" x 1-1/8" x 5/8"	0.2100	10	100
W 04052 †	1-1/8" x 1-1/8" x 1/2"	0.1900	10	100
W 04055 †	1-1/8" x 7/8" x 1-1/8"	0.3000	10	100
W 04056 †	1-1/8" x 7/8" x 7/8"	0.2500	10	100
W 04057 †	1-1/8" x 7/8" x 3/4"	0.4300	10	90
W 04058 †	1-1/8" x 7/8" x 5/8"	0.2300	10	100
W 04059 †	1-1/8" x 7/8" x 1/2"	0.2100	10	100
W 40233 †	1-1/8" x 3/4" x 1-1/8"	0.3300	10	100
W 40234 †	1-1/8" x 3/4" x 7/8"	0.3000	10	90
W 40235 †	1-1/8" x 3/4" x 3/4"	0.3100	10	100
W 40236 †	1-1/8" x 3/4" x 5/8"	0.3500	10	90
W 04061 †	1-1/8" x 5/8" x 1-1/8"	0.3000	10	100
W 04062 †	1-1/8" x 5/8" x 7/8"	0.2800	10	100
W 04063 †	1-1/8" x 5/8" x 5/8"	0.2100	10	100
W 40122 †	1-3/8" x 1-3/8" x 2-1/8"	0.8900	2	20
W 40100 †	1-3/8" x 1-3/8" x 1-5/2"	0.4900	5	50
W 04069 †	1-3/8" x 1-3/8" x 1-1/8"	0.4100	5	50
W 04070 †	1-3/8" x 1-1/8" x 7/8"	0.3500	5	50
W 04071 †	1-3/8" x 1-3/8" x 5/8"	0.3200	5	50
W 04072 †	1-3/8" x 1-3/8" x 1/2"	0.2900	5	50
W 04073 †	1-3/8" x 1-1/8" x 1-3/8"	0.4800	5	50
W 04074 †	1-3/8" x 1-1/8" x 1-1/8"	0.4600	5	50
W 04075 †	1-3/8" x 1-1/8" x 7/8"	0.3800	5	50
W 04076 †	1-3/8" x 1-1/8" x 5/8"	0.3600	5	50
W 04078 †	1-3/8" x 7/8" x 1-3/8"	0.4500	5	50
W 04079 †	1-3/8" x 7/8" x 1-1/8"	0.4600	5	50
W 04080 †	1-3/8" x 7/8" x 7/8"	0.3700	5	50
W 04081 †	1-3/8" x 7/8" x 5/8"	0.3400	5	50
W 04083 †	1-3/8" x 5/8" x 1-3/8"	0.5700	5	50
W 40121 †	1-5/8" x 1-5/8" x 2-1/8"	1.2100	2	20
W 04085 †	1-5/8" x 1-5/8" x 1-3/8"	0.5700	5	50
W 04086 †	1-5/8" x 1-5/8" x 1-1/8"	0.5200	5	50
W 04087 †	1-5/8" x 1-5/8" x 7/8"	0.4700	5	50
W 04088 †	1-5/8" x 1-5/8" x 5/8"	0.4200	5	50
W 04089 †	1-5/8" x 1-5/8" x 1/2"	0.4100	5	50
W 04090 †	1-5/8" x 1-3/8" x 1-5/8"	0.6800	5	50
W 04091 †	1-5/8" x 1-3/8" x 1-3/8"	0.6900	5	50
W 04092 †	1-5/8" x 1-3/8" x 1-1/8"	0.5700	5	50
W 04093 †	1-5/8" x 1-3/8" x 7/8"	0.5700	5	50
W 04094 †	1-5/8" x 1-3/8" x 5/8"	0.4500	5	50
W 04095 †	1-5/8" x 1-1/8" x 1-5/8"	0.6800	5	50
W 04096 †	1-5/8" x 1-1/8" x 1-3/8"	0.6500	5	50
W 04097 †	1-5/8" x 1-1/8" x 1-1/8"	0.6100	5	50
W 04098 †	1-5/8" x 1-1/8" x 7/8"	0.5600	5	50
W 40237 †	1-5/8" x 1-1/8" x 5/8"	0.4500	5	30
W 04099 †	1-5/8" x 7/8" x 1-5/8"	0.6700	5	50
W 40239 †	1-5/8" x 7/8" x 1-3/8"	0.7500	5	50
W 40240 †	1-5/8" x 7/8" x 1-1/8"	0.5200	5	50
W 40238 †	1-5/8" x 7/8" x 7/8"	0.5500	5	50
W 40243 †	1-5/8" x 7/8" x 5/8"	0.4700	5	50
W 40244 †	1-5/8" x 5/8" x 1-5/8"	0.6600	5	50
W 40153 †	2-1/8" x 2-1/8" x 3-1/8"	2.5500	1	10
W 40144 †	2-1/8" x 2-1/8" x 2-5/8"	1.4600	1	10
W 40103 †	2-1/8" x 2-1/8" x 1-5/8"	0.9900	5	50

(CONTINUED NEXT COLUMN)

† UL Recognized to 700 PSI (select diameters)

(CONTINUED FROM PREVIOUS COLUMN)

PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 40104 †	2-1/8" x 2-1/8" x 1-3/8"	0.8500	5	50
W 40105 †	2-1/8" x 2-1/8" x 1-1/8"	0.8800	5	50
W 40106 †	2-1/8" x 2-1/8" x 7/8"	0.8300	5	50
W 40107 †	2-1/8" x 2-1/8" x 5/8"	0.6700	5	50
W 40108 †	2-1/8" x 7/8" x 1/2"	0.6800	2	20
W 40109 †	2-1/8" x 1-5/8" x 2-1/8"	1.3100	2	20
W 40110 †	2-1/8" x 1-5/8" x 1-5/8"	1.1500	2	20
W 40111 †	2-1/8" x 1-5/8" x 1-3/8"	0.8600	2	20
W 40112 †	2-1/8" x 1-5/8" x 1-1/8"	1.0600	2	20
W 40113 †	2-1/8" x 1-5/8" x 7/8"	0.7500	2	20
W 40114 †	2-1/8" x 1-5/8" x 5/8"	0.7700	5	50
W 40115 †	2-1/8" x 1-3/8" x 2-1/8"	1.3000	2	20
W 40116 †	2-1/8" x 1-3/8" x 1-5/8"	1.1400	2	20
W 40117 †	2-1/8" x 1-3/8" x 1-3/8"	1.0900	2	20
W 40118 †	2-1/8" x 1-3/8" x 1-1/8"	0.9500	2	20
W 40119 †	2-1/8" x 1-3/8" x 7/8"	0.7600	5	50
W 40120 †	2-1/8" x 1-3/8" x 5/8"	0.7800	5	20
W 40245 †	2-1/8" x 1-1/8" x 2-1/8"	1.6400	5	25
W 40247 †	2-1/8" x 1-1/8" x 1-1/8"	1.0600	5	50
W 40248 †	2-1/8" x 7/8" x 2-1/8"	1.7100	5	25
W 40249 †	2-1/8" x 5/8" x 2-1/8"	1.6600	5	25
W 40124 †	2-5/8" x 2-5/8" x 2-1/8"	1.5900	2	20
W 40125 †	2-5/8" x 2-5/8" x 1-5/8"	1.4900	2	20
W 40126 †	2-5/8" x 2-5/8" x 1-3/8"	1.8700	2	20
W 40127 †	2-5/8" x 2-5/8" x 1-1/8"	1.8300	2	20
W 40128 †	2-5/8" x 2-5/8" x 7/8"	1.8300	1	10
W 40129 †	1-3/8" x 1-1/8" x 5/8"	2.0500	1	10
W 40130 †	2-5/8" x 2-1/8" x 2-5/8"	2.300	4	20
W 40131 †	2-5/8" x 2-1/8" x 2-5/8"	2.3000	4	20
W 40132 †	2-5/8" x 2-1/8" x 1-5/8"	2.0900	4	20
W 40133 †	2-5/8" x 2-1/8" x 1-3/8"	2.1200	4	20
W 40134 †	2-5/8" x 2-1/8" x 1-1/8"	2.1000	4	20
W 40135 †	2-5/8" x 2-1/8" x 7/8"	2.0600	4	20
W 40136 †	2-5/8" x 2-1/8" x 5/8"	2.2000	4	20
W 40137 †	2-5/8" x 1-5/8" x 2-5/8"	2.3200	4	20
W 40138 †	2-5/8" x 1-5/8" x 2-1/8"	1.8400	4	20
W 40139 †	2-5/8" x 1-5/8" x 1-5/8"	2.1100	4	20
W 40140 †	2-5/8" x 1-5/8" x 1-3/8"	2.1700	4	20
W 40141 †	2-5/8" x 1-5/8" x 1-1/8"	1.8300	4	20
W 40142 †	2-5/8" x 1-5/8" x 7/8"	2.3600	4	20
W 40143 †	2-5/8" x 1-5/8" x 5/8"	2.3600	4	20
W 40220 †	2-5/8" x 1-3/8" x 2-5/8"	2.3500	4	20
W 40250 †	2-5/8" x 1-3/8" x 2-1/8"	1.8200	4	20
W 40251 †	2-5/8" x 1-3/8" x 1-5/8"	2.4700	4	20
W 40252 †	2-5/8" x 1-3/8" x 1-3/8"	1.9600	4	20
W 40253 †	2-5/8" x 1-3/8" x 1-1/8"	2.4700	4	20
W 40254 †	2-5/8" x 1-3/8" x 7/8"	2.1800	4	20
W 40255 †	2-5/8" x 1-3/8" x 5/8"	2.4700	4	20
W 40221 †	2-5/8" x 1-1/8" x 2-5/8"	2.3900	4	20
W 40256 †	2-5/8" x 1-1/8" x 2-1/8"	1.9700	4	20
W 40257 †	2-5/8" x 1-1/8" x 1-5/8"	2.1500	4	20
W 40258 †	2-5/8" x 1-1/8" x 1-3/8"	2.0400	4	20
W 40259 †	2-5/8" x 1-1/8" x 1-1/8"	2.2700	4	20
W 40222 †	2-5/8" x 7/8" x 2-5/8"	2.4100	4	20
W 40151	3-1/8" x 3-1/8" x 2-5/8"	2.4500	2	10
W 40150	3-1/8" x 3-1/8" x 2-1/8"	2.3000	2	20
W 40149	3-1/8" x 3-1/8" x 1-5/8"	2.1800	2	10
W 40148	3-1/8" x 3-1/8" x 1-3/8"	2.3800	2	10
W 40147	3-1/8" x 3-1/8" x 1-1/8"	1.9600	2	20
W 40146	3-1/8" x 3-1/8" x 7/8"	1.4900	2	20
W 40145	3-1/8" x 3-1/8" x 5/8"	1.3800	2	20
W 40159	3-1/8" x 2-5/8" x 3-1/8"	2.9600	2	10
W 40158	3-1/8" x 2-5/8" x 2-5/8"	4.5200	2	10
W 40157	3-1/8" x 2-5/8" x 2-1/8"	2.6800	2	10

(CONTINUED NEXT COLUMN)

▶ ACR | SOLDER JOINT

All diameters are O.D.

Tee • Reducing (Continued from Previous Page)**C X C X C**

■ Wrot Style #: WT-600



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 40156	3-1/8" x 2-5/8" x 1-5/8"	2.6300	2	10
W 40155	3-1/8" x 2-5/8" x 1-3/8"	2.6200	2	10
W 40154	3-1/8" x 2-5/8" x 1-1/8"	2.0200	2	20
W 40167	3-1/8" x 2-1/8" x 3-1/8"	3.0700	2	10
W 40165	3-1/8" x 2-5/8" x 2-5/8"	4.6400	2	10
W 40164	3-1/8" x 2-5/8" x 2-1/8"	2.7500	2	10
W 40163	3-1/8" x 2-5/8" x 1-5/8"	2.5700	2	10
W 40162	3-1/8" x 2-5/8" x 1-3/8"	2.6100	2	10
W 40161	3-1/8" x 2-5/8" x 1-1/8"	2.0400	2	20
W 40174	3-1/8" x 1-5/8" x 3-1/8"	2.9700	2	10
W 40181	3-1/8" x 1-3/8" x 3-1/8"	3.1400	2	10
W 40178	3-1/8" x 1-1/8" x 3-1/8"	3.0200	2	10
W 40179	3-1/8" x 7/8" x 3-1/8"	3.0300	2	10
W 40198	4-1/8" x 4-1/8" x 3-1/8"	4.9400	1	5
W 40197	4-1/8" x 4-1/8" x 2-5/8"	5.1600	1	5
W 40196	4-1/8" x 4-1/8" x 2-1/8"	4.5200	1	10
W 40195	4-1/8" x 4-1/8" x 1-5/8"	4.4700	1	10
W 40194	4-1/8" x 4-1/8" x 1-3/8"	4.5500	1	10
W 40193	4-1/8" x 4-1/8" x 1-1/8"	3.0500	1	10
W 40192	4-1/8" x 4-1/8" x 7/8"	2.8900	1	10
W 40191	4-1/8" x 4-1/8" x 5/8"	2.8900	1	10
W 40208	4-1/8" x 3-1/8" x 4-1/8"	8.6600	1	5
W 40206	4-1/8" x 3-1/8" x 3-1/8"	5.1200	1	5
W 40205	4-1/8" x 3-1/8" x 2-5/8"	5.6100	1	5
W 40204	4-1/8" x 3-1/8" x 2-1/8"	4.7600	1	5
W 40212	4-1/8" x 2-5/8" x 4-1/8"	7.7900	1	5
W 40216	4-1/8" x 2-1/8" x 4-1/8"	8.9500	1	5
W 40215	4-1/8" x 1-5/8" x 4-1/8"	8.5100	1	5
W 40214	4-1/8" x 1-3/8" x 4-1/8"	8.5700	1	5
W 40213	4-1/8" x 1-1/8" x 4-1/8"	9.3300	1	5
W 40503	6-1/8" x 6-1/8" x 3-1/8"	11.0000	-	1
W 40504	6-1/8" x 6-1/8" x 2-5/8"	11.1000	-	1
W 40505	6-1/8" x 6-1/8" x 2-1/8"	9.5400	-	1

Tee • Forged Brass**C X C X F**

■ Wrot Style #: WT-602



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 04208	1/4" x 1/4" x 1/4"	0.0900	50	450
W 04209	1/4" x 1/4" x 1/8"	0.0400	50	1,200
W 04228	3/8" x 3/8" x 3/8"	0.1500	25	350
W 04229	3/8" x 3/8" x 1/4"	0.1000	25	400
W 04230	3/8" x 3/8" x 1/8"	0.1100	10	400
W 04259	1/2" x 1/2" x 3/8"	0.1500	10	240
W 04283	5/8" x 5/8" x 1/2"	0.3300	10	150

† UL Recognized to 700 PSI (select diameters)

Tee**C x FTG x C**

■ Wrot Style #: WT-600F



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 04106 †	5/8"	0.1000	50	300
W 04131 †	7/8"	0.1900	25	150

Union**C x C**

■ Wrot Style #: WC-407



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
W 08001	3/8"	0.1200	25	250
W 08002	1/2"	0.1100	25	250
W 08003	5/8"	0.1600	25	250
W 08004	7/8"	0.3700	25	150
W 08005	1-1/8"	0.5200	10	100

Copper Tube Strap • Two-Hole

■ Wrot Style #: WS-1100



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
A 01203	1/4"	0.0100	100	4,000
A 01278	3/8"	0.0100	100	5,600
A 01366	1/2"	0.0100	100	3,400
A 02529	5/8"	0.0100	100	1,500
A 01467	3/4"	0.0100	100	2,000
A 02574	7/8"	0.0100	50	750
A 02614	1-1/8"	0.0200	50	750
A 02650	1-3/8"	0.0400	50	500
A 02675	1-5/8"	0.0500	50	500
A 02708	2-1/8"	0.0600	50	500

25 Ft. Roll Copper Tube Strap Perforated

■ Wrot Style #: WS-1101



PART #	DIAMETER (O.D.)	WEIGHT	INNER	MASTER
A 01211	25 Ft. Roll	1.6300	1	10



 **EVERFLOW**[®]
Streamline[®]

THE BEST FITTINGS IN THE JOINT.[™]

 **EVERFLOW**

TEXAS | GEORGIA | ILLINOIS | NEW JERSEY
908.436.1100 info@everflowsupplies.com

View latest
E-Catalog

